



Iowa Department of Public Health  
Promoting and Protecting the Health of Iowans

Assuring a System of Care for Iowa's Children and Youth with Special Health Care Needs

## House Hold Survey Questions Report

September 30, 2011

Funded by  
American Recovery and Reinvestment Act (ARRA)  
Iowa's IDEA Part C (Early ACCESS) Federal Funds 2009-2011



For more information about this project, contact: Rae Miller at [rae-miller-1@uiowa.edu](mailto:rae-miller-1@uiowa.edu) or 712-792-4500 or Meghan Wolfe at [mwolfe@idph.state.ia.us](mailto:mwolfe@idph.state.ia.us) or 515-201-5282.



June 2012

# **The 2010 Iowa Child and Family Household Health Survey**

## **Early childhood results for children ages 0–5 years**

### **Second report in a series**

**Peter C. Damiano**

*Director*

**Jean C. Willard**

*Research Manager*

**Ki H. Park**

*Graduate Student Research Assistant*

*University of Iowa, Public Policy Center*

This study was supported by the Iowa Department of Public Health (IDPH); the Maternal and Child Health Bureau (MCHB), Health Resources and Services Administration (HRSA), U.S. Department of Health and Human Services; Blank Children's Hospital; the American Academy of Pediatrics–Iowa Chapter; Child Health Specialty Clinics; and ARRA funding through Early ACCESS. The results and views expressed are the independent products of university research in collaboration with the Iowa Department of Public Health and do not necessarily represent the views of the Maternal and Child Health Bureau or the University of Iowa.



## **TABLE OF CONTENTS**

|  |    |
|--|----|
| INTRODUCTION                             | 3  |
| METHODS                                  | 4  |
| DEMOGRAPHICS OF YOUNG CHILDREN IN IOWA   | 6  |
| HEALTH STATUS OF YOUNG CHILDREN IN IOWA  | 7  |
| HEALTH CARE COVERAGE                     | 8  |
| MEDICAL HOME AND ACCESS TO MEDICAL CARE  | 9  |
| DENTAL HEALTH, ACCESS, AND COVERAGE      | 12 |
| BEHAVIORAL AND EMOTIONAL HEALTH AND CARE | 14 |
| SOCIAL DETERMINANTS                      | 14 |
| EARLY CHILDHOOD FAMILY ACTIVITIES        | 16 |
| CHILD CARE                               | 17 |
| PARENT SOCIAL AND EMOTIONAL HEALTH       | 17 |
| TOBACCO, ALCOHOL AND DRUG USE PROBLEMS   | 18 |
| CONCLUSIONS ABOUT YOUNG CHILDREN IN IOWA | 19 |

### **APPENDIX 1: DATA TABLES BY AGE**

### **APPENDIX 2: DATA TABLES BY FPL**

### **APPENDIX 3: MEDICAL HOME IN THE 2010 IHHS**

# INTRODUCTION

The State of Iowa has in recent years placed a special emphasis on early care, education, and health for its youngest residents as a way to get children off to a good start in life. This report provides specific data about the health and well-being of Iowa's children ages 0-5 years. These data are derived from questions in the 2010 Iowa Child and Family Household Health Survey (IHHS). The 2010 IHHS is the third comprehensive, statewide study to evaluate the health status, access to health care, and social environment of children living in families in Iowa. Previous IHHS surveys were conducted in 2000 and 2005. This report on early childhood issues (i.e., pre-kindergarten) is the second in a series of reports presenting results from the 2010 IHHS.

This study represents a collaboration between the Iowa Department of Public Health (IDPH), the University of Iowa Public Policy Center (PPC), and Child Health Specialty Clinics (CHSC). Funding for the 2010 survey was provided by the IDPH, with additional funding from: the U.S. Department of Health and Human Services Maternal and Child Health Bureau (MCHB), Blank Children's Hospital; American Academy of Pediatrics – Iowa Chapter; Child Health Specialty Clinics; and ARRA funding through Early ACCESS.

The primary goals of the 2010 IHHS were to: 1) assess the health and well-being of children and families in Iowa, 2) assess a set of early childhood issues, 3) evaluate the health insurance coverage of children in Iowa, and features of uninsured children and parents, and 4) assess the health and well-being of racial and ethnic minority children in Iowa. Questions in the 2010 survey included a wide range of topic areas encompassing the health, overall well-being, and family environment of children in Iowa with a special emphasis on early childhood issues.

## Topic areas in the 2010 survey include:

- Functional health status
- Access/need
- Medical home
- Prescription medication
- Dental care
- Emergency room use
- Behavioral and emotional health
- Early childhood
- Child care
- Social determinants of health
- Nutrition, physical activity, food insecurity
- Parent health status/family health
- Substance use and gambling
- Demographics

## Specific early childhood issues addressed in this report include:

- Early childhood environment
- Medical home and access to health care
- Social determinants of health:
  - Neighborhood connectedness
  - Food insecurity
  - Maternal well-being and parenting stress
- Development and assessment for children
- Child care
- 

The results for individual questions from the survey relevant to early childhood can be found in the appendices of this report. They are organized by age category: infants: 0-1 years, toddlers: 2-3 years, preschoolers: 4-5 years and includes subtotals for the 0-3 age group, and totals for ages 0-5 (Appendix 1). Appendix 2 contains results organized by and the Federal Poverty Level (FPL) status of the child.

## METHODS

The 2010 Iowa Household Health Survey was a population-based statewide survey using a mixed-mode approach to the data collection; it included an oversample of African-American and Latino children. The survey was conducted with parents of children in Iowa using an address-based sampling design. Data collection was completed using a combination of telephone and Internet survey methods. The University of Northern Iowa Center for Social and Behavioral Research coordinated the data collection efforts.

For the survey process: 1) A packet was mailed to a statewide random sample of addresses drawn from the United States Postal Service (USPS) Delivery Sequence File (DSF). The packet included an information letter with instructions for completing a web-based questionnaire; 2) The USPS DSF included telephone numbers for about 60% of addresses. Non-respondents for whom a phone number was available were called if they did not complete the web survey within the first week.

During the core data collection period, 2,386 participated: 1,859 phone and 527 online interviews took place with the parent or guardian of one randomly selected child age 0-17 years living in the household. The data were weighted to account for family size and post-stratified to reflect the 2010 child population in Iowa. As the 2010 Census had just been completed at the time of the 2010 Iowa Household Health Survey, a relatively precise count of children in Iowa was obtained. This was used to determine if the characteristics of the population who completed the survey varied significantly from the total population as identified in the census data.

*There was a 6% increase in the number of children 0-5 years old in Iowa from 2000 – 2010*

A weight related to the design effect was added to the analysis in order to make statistical testing more accurate. Weights for individual cases range from .28 to 3.84, with a mean weight of .7629.

Respondents were primarily mothers (78%), although 16% were fathers. The remaining 6% were other types of guardians, primarily relatives of the child. There were almost equal numbers of boys (51%) and girls (49%) represented in the sample.

For this report, data were used only for children ages 0-5 years. The total number of families with young children for this study was 660; of those, 52 children were already in Kindergarten. Results will be described in terms of total number of young children for three different income categories (lower: <133% FPL, moderate: 133-200% FPL, and higher: >200% FPL), and by the following age categories: 0-1 (infant), 2-3 (toddler), 4-5 (preschool). Appendices 1 and 2 contain the results for each of the questions in the survey for the early childhood population in Iowa.

# DEMOGRAPHICS OF YOUNG CHILDREN IN IOWA

Current estimates of Iowa's child population indicate that there were about 242,000 children in Iowa between the ages of 0 and 5 years in 2010.<sup>1</sup> This represents about a 6 percent increase from the 2000 decennial U.S. Census, where there were just over 229,000 children in this age group. Children in the 0-5 year age group represent about 31% of Iowa's child population (age 0-18 years). About 20% of children age 0-5 years are living below the FPL.<sup>2</sup> Among all of Iowa's children ages 0-18 years who are living below the FPL, about 30% are between the ages of 0 and 5 years (Figures 1 and 2).

*20% of children age 5 years and younger live in poverty*




Figure 1. Percent of children age 5 years or under who live under the FPL

*30% of all children who live in poverty are age 5 years or younger*




Figure 2. Ages of children who live under the FPL (percent)

<sup>1</sup> U.S. Census Bureau. <http://2010.census.gov/2010census/>. Accessed May 2012.

<sup>2</sup> 2010 American Community Survey. U.S. Census Bureau. <http://www.census.gov/acs/www/>. Accessed May 2012.

# HEALTH STATUS OF YOUNG CHILDREN IN IOWA

The health status of young children was evaluated in two ways: a) using a global measure of parents' rating of their child's health, and b) using a series of questions about functional health status to identify children with a special health care need.

Young children in Iowa were in generally good health, with over 90% of children reported as having excellent (67%) or very good (25%) overall health status. There was a statistically significant difference by income level in the reported health of Iowa's youngest children. In Iowa's age 0-5 years population, the lowest income group (up to 133% of the FPL) were reported as the least healthy, with 75% reported to be in excellent or very good health (Figure 3). Ninety-five percent of the higher income children (200+% FPL) were reported to have excellent or very good health, along with 93% of young children in the 134-200% FPL group.

*Young children in lower income groups were significantly less likely to be in the excellent or very good health status categories*




Figure 3. Overall health status of children under age 6 by Federal Poverty Level

## Children with Special Health Care Needs

About 10% of Iowa's youngest children were defined as having a special health care need (CSHCN) using the nationally recognized Children and Adolescent Health Measurement Inventory (CAHMI) CSHCN screening tool.<sup>3</sup> This is a decrease from 14% in 2005. The CAHMI is a series of five questions that categorizes children as having a special health care need as part of a survey instrument. Younger children (age 0-5 years) were significantly less likely to be defined as having a special health care need than older children (6-17 years) in Iowa (21% for all Iowa children). This is to be expected since many of the conditions resulting in a child being defined as having a special health care need do not manifest themselves in very young children.

*About 1 in 10 young children in Iowa have a special health care need.*

<sup>3</sup> CAHMI- The Child and Adolescent Health Measurement Initiative. <http://www.cahmi.org/pages/Sections.aspx?section=10>. Accessed May, 2012

Among young children, the proportion categorized as having a special health care need was not statistically significantly different by age. However, it did vary by income. Children ages 0-5 years in the lowest income group (up to 133% of the FPL) were more likely to be a CSHCN, with 20% compared to children with higher income groups (134-200%: 10% and +200%: 8%) (Figure 4).




Figure 4. Percent of Children with Special Health Care Needs, age 5 years and under, by Federal Poverty Level

## HEALTH CARE COVERAGE

As in 2005, Iowa has been effective in providing health coverage to almost all children. Most of the youngest lowans had health care coverage (98%) in 2010. Insurance coverage did not vary by income or age group. Most children whose households earn less than 200% FPL should be eligible for health care coverage through either the Medicaid or *hawk-i* programs.

The majority of young children with health insurance in Iowa were covered by private insurance (73%), and about 1 in 4 were covered by a public insurance program (primarily Medicaid but also *hawk-i*). Among those whose household income fell below 133% of the FPL (approximates Medicaid eligibility), about 85% were covered by public insurance; one-tenth, however, had some form of employer-based health coverage.

Although one-quarter of young children were in Medicaid at the time of the survey, over 1 in 3 had been covered by Medicaid at some time in the past. Ninety-five percent of children in the lowest income group had Medicaid experience, along with 53% of those in the 134-200% FPL group. In the 200%+ FPL group, 13% have had experience with the Medicaid program.

*Almost all young children in Iowa have some form of health care coverage*

*Parents were less likely than their young children to have health care coverage*

Parents of young children are less likely than their children to have health care coverage (89% have coverage). This varied greatly by income level, however. Figure 5 shows this discrepancy by income level.




Figure 5. Percent of children ages 0-5 years with uninsured parents, by FPL

## MEDICAL HOME AND ACCESS TO MEDICAL CARE

*Higher income young children were more likely to have a personal doctor or nurse*

Nearly all of Iowa's young children (94%) were reported to have a personal doctor or a nurse, and very few (2%) reported that their child had an unmet need for medical care in the previous year (i.e., were stopped from getting needed medical care). Children in lower income households were less likely to have a personal doctor or nurse (Figure 6). Also, among those who needed care in the past 12 months, 98% of children had a usual place for care. Having a usual place of care did not vary by age or income.




Figure 6. Percent of children ages 0-5 years with a personal doctor or nurse, by FPL

The patient-centered medical home concept is an effort to provide care to patients that assures ease of access, including extended hours of care, improved communication and care coordination, and team-based approaches to health care.<sup>4</sup> The goal is to increase quality of health care while reducing costs.

## Medical Home

The 2010 IHHS included a series of new questions designed to measure the percent of children in the state whose health care is provided through a medical home. In order to qualify as having a medical home for the purposes of this study, children needed to have: 1) a personal doctor or nurse, AND 2) if care was needed, a regular source of both sick and well-child care; children were also required to have adequate referrals, or care coordination, or family-centered care when needed (See Appendix 3).

About eight in ten young children in Iowa (82%) had care that met the definition of Medical Home.<sup>5</sup> Children in lower income households were less likely to meet the criteria for having a Medical Home, as shown in Figure 7. Also, children between 2-3 years (76%) were less likely to have Medical Home compared to children 0-1 year (86%), and 4-5 years (83%).




Figure 7. Percent of children ages 0-5 years with a Medical Home, by FPL

Having a Medical Home is of key importance for CSHCN. Children ages 0-5 years in Iowa with special health care needs were significantly less likely to meet the required criteria for Medical Home. Sixty-eight percent of CSHCN had a Medical Home, compared with 83% of other young children in Iowa.

*Low-income young children and CSHCN were less likely to have a Medical Home*

<sup>4</sup> American Academy of Pediatrics. National Center for Medical Home Implementation. <http://medicalhomeinfo.org/>. Accessed May 2012.




Figure 8. Percent of children ages 0-5 years with a Medical Home, by CSHCN status

## Emergency room care

Thirty-one percent of young children had visited an emergency room (ER) at least one time in the past twelve months. ER visits did not vary by income. Primary reasons for ER visits were trauma, including broken bones or stitches (30%), high fever (12%), or ear infections (9%). In 2 out of 5 cases (40%), respondents said that a health care provider told them to go to the emergency room for their most recent visit. In three-fourths (73%) of cases, the care for the most recent visit could have been provided in a doctor's office had one been available. For the most part, these children were taken to the ER because the doctor's office was not open or the care was needed at night or on a weekend (93%).

About three-tenths of children (28%) had parents who worried at least a little about their ability to pay for their child's health care; this did not vary by income.

## Preventive health care

Young children in Iowa were highly likely to have had a preventive medical visit in the last 12 months (96%), and almost all had a preventive visit in the last 2 years (99%). Almost three-fourths (71%) of the parents of young children in Iowa reported remembering having received preventive counseling (i.e., anticipatory guidance) from a health care provider—about subjects such as watching what the child eats or using seatbelts—in the previous year. Reports of preventive counseling were most prevalent in the infant population (80%). The anticipatory guidance did not vary by income categories.

Parents of 35% of young children reported that they had been asked by a health care provider to fill out a developmental assessment for their child in the past year. This did not vary significantly by age or income category.

*Almost one-third of young children received care in an emergency room.*

*Three-quarters of this care could have been provided in a doctor's office if one had been available*

*Low income young children were significantly more likely to have dental care coverage*

## DENTAL HEALTH, ACCESS, AND COVERAGE

Over three-quarters (80%) of children ages 0-5 years in Iowa have dental insurance. However, children in the lowest income group (up to 133% of the FPL) were most likely to have dental insurance, with 94% compared to children in higher income groups (134-200%: 82% and +200%: 76%) (Figure 9). Most of this difference is due to the required coverage of dental services by the Medicaid program, whereas dental insurance is not covered by all employer or individually purchased insurance products.




Figure 9. Percent of children under age 6 years without dental insurance, by FPL

About three-fourths of young children (76%) had a reported dental check-up in the past year. As shown in Figure 10, there was great variation by age in the time since last dental check-up. Older children were much more likely to have had a dental visit in the last year.




Figure 10. Percent of children that had a dental check-up in the last year, by age

Ten percent of Iowa's young children have received dental care services in a WIC clinic, 10% in a preschool and 5% in a Head Start Center. WIC clinic services were more likely to be provided to children in the lowest income category (29% vs 2% for those over 200% FPL). One-quarter of children under 134% FPL received dental services at a Head Start Center.

About three-fourths of young children (74%) had a main place where they usually go for dental care, including most children who had ever been to the dentist. Older children were much more likely to have a main place for dental care than younger children. About one-fifth of young children (21%) had never been to the dentist, and as shown in Figure 11. This varied greatly by age.




Figure 11. Young children who have ever been to the dentist, by age

*Preschool aged children were more likely to have had a dental visit in the last year compared with infants and toddlers*

# BEHAVIORAL AND EMOTIONAL HEALTH AND CARE

About 3% of young children in Iowa had parents who thought their child needed care for behavioral or emotional issues. Among those children, 18% were unable to get needed care (i.e., had an unmet need for behavioral or emotional care in the previous year). Overall, less than 1% of young children were reported to have unmet need for behavioral and emotional health care.

## SOCIAL DETERMINANTS

Some aspects of the social determinants of health for young children in Iowa were explored in this study to expand beyond the traditional measures of health that relate to the health care delivery system. These included: neighborhood characteristics and safety, food security, breast feeding, and family functioning.

### Neighborhood Characteristics <sup>6</sup>

In 2010, for the first time, a series of questions designed to measure neighborhood characteristics and safety were asked. These questions were scaled together into a single measure of neighborhood support. More than 8 in 10 respondents (85%) reported living in a supportive neighborhood. However, respondents in low-income households were less likely to report that they lived in a supportive neighborhood (Figure 12).




Figure 12. Percent of children living in a supportive neighborhood by Federal Poverty Level

<sup>6</sup> Child and Adolescent Health Measurement Initiative. Data Resource Center for Child and Adolescent Health. 2007 National Survey of Children's Health. <http://childhealthdata.org/learn/NSCH>. Accessed May 2012.

*One-third of low-income young children lived in a neighborhood that was not perceived as supportive*

*Low-income young children were also less likely to live in a neighborhood that was perceived to be safe*

Most respondents (92%) felt that their children are usually or always safe in their community or neighborhood. However, parents with lower household incomes (79%) were less likely to report that their children were usually or always safe in their community or neighborhood compared to parents in higher income households (88% for 134-200% FPL; and 95% for >200%) (Figure 13). Also, children ages 2-3 years (87%) were less likely to be in a safe community or neighborhood compared to children in other age groups (95% for 0-1 year; and 94% for 4-5 years).




Figure 13. Percent of children living in a safe community or neighborhood, by FPL

## Food security

More than one in ten of Iowa's youngest children lived in a household that didn't always have enough money for food. This was especially likely for children in households earning less than 134% FPL (37%). Figure 14 shows this disparity.




Figure 14. Percent of children living in a household where the food did not last and there wasn't enough money to buy more, by FPL

*Almost all young children were engaged in developmental and family activities*

## Breast feeding

Eighty percent of Iowa's youngest children were breastfed for some period of time. Among those, about one-third breastfed for 3 months or less, and 40% were between 6 and 12 months when they stopped breastfeeding. Twenty-three percent of Iowa's youngest children who ever breastfed were never fed formula.

## Family Functioning

The vast majority of respondents (89%) reported that family members who live in the household eat meals together, and 97% of respondents stated that there is someone that they can turn to for day-to-day emotional help with raising children.

# EARLY CHILDHOOD FAMILY ACTIVITIES

Parents of children ages 0-5 years were asked questions regarding how frequently they participated in activities with their children, such as reading, telling stories, working on letters, singing songs and playing music, working on arts and crafts, and playing games. In the week prior to the survey, 94% of children were told a story; 79% worked with letters, words or numbers; 97% sang songs or played music; 66% worked on arts and crafts; and 87% played a game. Almost two-thirds of Iowa's young children (64%) were read to every day, and only 3% were not read to at all. Most of those who were not read to were infants. Figure 15 shows the activities in which young children participated varied by age.




Figure 15. Participated in early childhood family activities in the last week, by age

*About two-thirds of Iowa's young children receive child care in one or more settings.*

## CHILD CARE

In order to more thoroughly examine the issue of child care, parents of young children were asked about child care arrangements. Almost two-thirds (63%) of children in Iowa ages 0-5 spent at least some time in child care in the week prior to the survey.

Children in higher income households were more likely to have received care in a child care setting (42% for <134% FPL; 51% for 134-200% FPL; and 74% for >200% FPL). About a third (33%) of Iowa's young children had one setting where they received child care, and about a quarter (23%) received care from two or more settings. About half (46%) of the children ages 0-5 years who were in child care received at least some of their care in a home-based child care setting. Thirty-four percent received care in a child care center, and 24% in a preschool. Thirty-two percent received care from the child's grandparent. For those children receiving child care, the number of child care settings did not differ by income level.

## PARENT SOCIAL AND EMOTIONAL HEALTH

Parents were asked a series of questions relating to their mental health status and issues of depression.<sup>7</sup> These questions were scaled together to get a composite picture of parent mental health. About 9% of young children in Iowa had parents with a lower mental health status, indicating possible depression or issues with anxiety. There were no statistically significant differences by age of the child; there were, however, significant differences by income level. As shown in Figure 16, children in lower income households were more likely to have a primary caregiver with symptoms indicative of depression.




Figure 16. Percent of children in households with a primary caregiver who may be depressed or anxious, by FPL

*Nine percent of young children lived with a primary caregiver who showed signs of anxiety or depression*

<sup>7</sup> Berwick DM, Murphy JM, Goldman PA, Ware JE Jr, Barsky AJ, Weinstein MC. Performance of a five-item mental health screening test. *Med Care*. 1991 Feb;29(2):169-76.

Another series of questions was designed to measure parenting stress, or aggravation.<sup>8</sup> About 3% of Iowa's young children were living in households with a primary caregiver who reported a high level of parenting stress. There were no statistically significant differences by income level, nor did this measure demonstrate a difference by the age of the child. Infants were more likely to have parents reporting a low level of parenting stress than were toddlers or preschoolers (Figure 17).




Figure 17. Parents' aggravation scale by age of child

*Drug use and gambling problems in the household were rarely reported for young children in Iowa*

## TOBACCO, ALCOHOL AND DRUG USE PROBLEMS

Parents were asked how much of a problem in their household was caused by smoking. Smoking was reported to be a problem for about 8% of young children, which did not differ significantly by income level or child age. However, young children in lower income households were more likely to have parents reporting problems with smoking in the household (15% for <134% FPL; 11% for 134-200% FPL; and 6% for >200% FPL). Alcohol use was reported to be a problem for about 4% of young children in Iowa, which did not differ significantly by income level or child age. Household drug use problems (0.7%) and gambling problems (0.7%) were rarely reported for young children in Iowa.

<sup>8</sup> Macomber JE, Moore KA. 1997 NSAF benchmarking measures of child and family well-being. Report No. 6, NSAF methodology reports. Urban Institute. Available at: [www.urban.org/url.cfm?ID=410137](http://www.urban.org/url.cfm?ID=410137). Accessed May, 2012

# CONCLUSIONS ABOUT YOUNG CHILDREN IN IOWA

Although the overall proportion of children in Iowa remained the same between 2000 and 2010, the number of young children age 5 years and under increased 6 percent. This emphasizes the relative importance of the health and well-being of children to the future of the state.

Overall young children in Iowa were reported to be in good health, with over 93% of children reported to be in excellent or very good health. The exception was for lower income children, of whom only three-quarters were reported to be healthy. Health disparities for lower income young children is a pattern that persists for other issues as well. Lower income children were more likely to have a special health care need.

Similar disparities were found regarding the environment in which low-income young children live. These children were significantly more likely to live in less safe and supportive neighborhoods: one-third were in unsupportive neighborhoods, while one in five were in neighborhoods never or only sometimes considered safe. Additionally, one in five low-income children had a parent who met the definition of being depressed or anxious, and 15% were in a household where smoking was considered a problem.

Health insurance coverage is an area in which Iowa as a state has done well. As in 2005, only about 2% of young children were without health insurance at the time of the interview, and many of these are eligible for Medicaid or *hawk-i*. Even with this level of coverage, three in ten children had parents who worried at least a little about paying for the child's health care, regardless of income level. The importance of Medicaid as transitional coverage was also apparent, with one-quarter of young children currently enrolled, while another one-third had been enrolled at some point in the past, including 13% of higher income children.

Regarding care delivery, almost all children were reported to have had a regular source of care, and four out of five were receiving care from a place that met the definition of being a Medical Home (although this was much less for lower income young children—63%). Although almost all children had a preventive visit in the previous year, only one third had a parent who remembered having filled out a developmental assessment on their child. Emergency care remains an area with potential for improvement: among the one-third of all with ER visit, three-quarters were for events that could have been cared for in a clinic setting had one been accessible.

Dental care varied significantly by the age of the young child. One in five children age one year or under had a dental visit in the previous year as recommended by the American Academy of Pediatric Dentistry.<sup>9</sup> However, 9 out of 10 children ages 4-5 were reported to have had a dental visit in the previous year. It was not possible to determine, however, the type of exam (e.g., screening or exam).

*Overall, young children in Iowa were likely to be in good overall health, be insured, and engage regularly in appropriate developmental activities. However, many income disparities exist in the state.*

<sup>9</sup> American Academy of Pediatric Dentistry. Guidelines on Infant Oral Health. Clinical Affairs Committee. Reference Manual: Vol. 33/No.6. <http://www.aapd.org/policies/>. (Clinical Guidelines-Infant Oral Health Care). Last updated 2011.



On broader measures of well-being, parents reported themselves to be very engaged in their child's development including reading to them or telling a story, playing games and working with letters and numbers (as age appropriate).

Appendix A: Data tables by AGE  
Iowa Child and Family Household Health Survey

|   |    |
|---|----|
| SECTION 1. FUNCTIONAL HEALTH STATUS               | 2  |
| SECTION 2. INSURANCE COVERAGE                     | 6  |
| SECTION 3A. MEDICAL HOME                          | 16 |
| SECTION 3B. PRESCRIPTION MEDICINE                 | 21 |
| SECTION 3C. DENTAL CARE                           | 23 |
| SECTION 3D. BEHAVIORAL AND EMOTIONAL HEALTH CARE  | 27 |
| SECTION 5. EARLY CHILDHOOD                        | 28 |
| SECTION 6. CHILD CARE                             | 32 |
| SECTION 8. SOCIAL DETERMINANTS OF HEALTH          | 33 |
| SECTION 9. NUTRITION                              | 38 |
| SECTION 10. CHILD HEALTH – PHYSICAL ACTIVITY      | 43 |
| SECTION 11. PARENT HEALTH STATUS AND FAMILY       | 44 |
| SECTION 12. SMOKING, DRUGS, ALCOHOL, AND GAMBLING | 46 |
| SECTION 13. DEMOGRAPHICS                          | 48 |

## SECTION 1. FUNCTIONAL HEALTH STATUS

**HS1** - In general, how would you rate your child's overall health now? (n = 660)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Excellent | 65.9    | 66.8    | 66.3                  | 67.5    | 66.7    |
| Very good | 23.8    | 23.8    | 23.8                  | 26.0    | 24.5    |
| Good      | 8.4     | 7.9     | 8.2                   | 6.1     | 7.5     |
| Fair      | 1.2     | 0.9     | 1.1                   | 0.0     | 0.7     |
| Poor      | 0.6     | 0.6     | 0.6                   | 0.4     | 0.6     |

**HS** - Children with Special Health Care Need (n = 660)

|             | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------|---------|---------|-----------------------|---------|---------|
| Yes – CSHCN | 6.7     | 8.7     | 7.7                   | 13.1    | 9.5     |
| No – CSHCN  | 93.3    | 91.3    | 92.3                  | 86.9    | 90.5    |

**HS2** - Does your child currently need or use medicine prescribed by a doctor other than vitamins? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 11.0    | 11.3    | 11.1                  | 13.6    | 12.0    |
| No  | 89.0    | 88.7    | 88.9                  | 86.4    | 88.0    |

**HS2A** - Is this because of any medical, behavioral or other health condition? (n = 85)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 89.0    | 82.6    | 85.8                  | 81.4    | 84.1    |
| No  | 11.0    | 17.4    | 14.2                  | 18.6    | 15.9    |

**HS2B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 66)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 53.7    | 70.1    | 61.9                  | 89.8    | 72.2    |
| No  | 46.3    | 29.9    | 38.1                  | 10.2    | 27.8    |

**HS3** - Does your child need or use more medical care, mental health or educational services than is usual for most children of the same age? (n = 655)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 6.7     | 4.7     | 5.7                   | 6.1     | 5.9     |
| No  | 93.3    | 95.3    | 94.3                  | 93.9    | 94.1    |

**HS3A** - Is this because of any medical, behavioral or other health condition? (n = 36)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 78.0    | 100.0   | 87.1                  | 60.1    | 77.8    |
| No  | 22.0    | 0.0     | 12.9                  | 39.9    | 22.2    |

**HS3B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 25)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 90.7    | 80.0    | 84.8                  | 100.0   | 89.0    |
| No  | 9.3     | 20.0    | 15.2                  | 0.0     | 11.0    |

**HS4** - Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 4.9     | 2.8     | 3.9                   | 1.5     | 3.1     |
| No  | 95.1    | 97.2    | 96.1                  | 98.5    | 96.9    |

**HS4A** - Is this because of any medical, behavioral or other health condition? (n = 19)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 54.7    | 62.2    | 57.8                  | 76.0    | 61.1    |
| No  | 45.3    | 37.8    | 42.2                  | 24.0    | 38.9    |

**HS4B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 13)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 71.4    | 100.0   | 84.2                  | 100.0   | 87.8    |
| No  | 28.6    | 0.0     | 15.8                  | 0.0     | 12.2    |

**HS5** - Does your child need or get special therapy, such as physical, occupational or speech therapy? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 2.9     | 1.8     | 2.3                   | 10.0    | 4.9     |
| No  | 97.1    | 98.2    | 97.7                  | 90.0    | 95.1    |

**HS5A** - Is this because of any medical, behavioral or other health condition? (n = 32)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 63.9    | 58.6    | 61.9                  | 26.1    | 38.1    |
| No  | 36.1    | 41.4    | 38.1                  | 73.9    | 61.9    |

**HS5B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 12)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 66.7    | 75.0    | 69.7                  | 100.0   | 83.5    |
| No  | 33.3    | 25.0    | 30.3                  | 0.0     | 16.5    |

**HS6** - Does your child have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling? (n = 659)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 1.4     | 0.7                   | 3.2     | 1.5     |
| No  | 100.0   | 98.6    | 99.3                  | 96.8    | 98.5    |

**HS6A** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 647)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 100.0   | 100.0                 | 100.0   | 100.0   |
| No  | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**HS7** - Has your child been diagnosed with a chronic condition or disease that has lasted or is expected to last for at least 12 months? (n = 64)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 77.8    | 52.7    | 63.6                  | 39.9    | 52.7    |
| No  | 22.2    | 47.3    | 36.4                  | 60.1    | 47.3    |

**HS8** - What is your child's primary chronic condition or diagnosis? (n = 20)

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| ADD/ADHD                                   | 0.0     | 0.0     | 0.0                   | 4.2     | 1.5     |
| Asthma                                     | 35.8    | 47.3    | 41.2                  | 28.7    | 36.8    |
| Autism                                     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Depression, anxiety, or emotional problems | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Mental Retardation                         | 0.0     | 0.0     | 0.0                   | 6.5     | 2.3     |
| Other                                      | 64.2    | 52.7    | 58.8                  | 60.6    | 59.5    |

**HS9** - How would you rank the severity of your child's condition, compared to other children with the same condition? (n = 31)

|    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----|---------|---------|-----------------------|---------|---------|
| 0  | 5.3     | 0.0     | 2.9                   | 14.6    | 7.2     |
| 1  | 0.0     | 5.8     | 2.6                   | 4.9     | 3.4     |
| 2  | 7.6     | 12.3    | 9.7                   | 21.9    | 14.2    |
| 3  | 33.8    | 0.0     | 18.7                  | 13.6    | 16.8    |
| 4  | 0.0     | 35.6    | 16.0                  | 7.1     | 12.7    |
| 5  | 46.5    | 23.6    | 36.2                  | 19.1    | 30.0    |
| 6  | 6.8     | 0.0     | 3.7                   | 9.1     | 5.7     |
| 7  | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| 8  | 0.0     | 22.7    | 10.1                  | 9.7     | 10.0    |
| 9  | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| 10 | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

## SECTION 2. INSURANCE COVERAGE

**IC1** - Do you or someone else have any kind of health care coverage for your child, including health insurance, prepaid plans (e.g. HMOs), or government plans (e.g. Medicaid or Title 19)? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 99.1    | 97.2    | 98.1                  | 98.1    | 98.1    |
| No  | 0.9     | 2.8     | 1.9                   | 1.9     | 1.9     |

**IC2** - What type of health care coverage do you use to pay for most of your child's medical care? (n = 648)

|                                   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------------------------------|---------|---------|-----------------------|---------|---------|
| Private insurance                 | 70.2    | 69.2    | 70.6                  | 76.2    | 72.5    |
| The <i>HAWK-I</i> program (SCHIP) | 2.0     | 3.4     | 2.7                   | 3.3     | 2.9     |
| Medicaid or Title 19              | 25.3    | 25.5    | 25.4                  | 19.0    | 23.3    |
| Some other source                 | 0.7     | 1.8     | 1.3                   | 1.6     | 1.4     |

**IC3 - Thinking about how well that health insurance coverage meets your child's health care needs, would you say that the health insurance is...? (n = 641)**

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Excellent | 47.6    | 47.7    | 47.6                  | 37.2    | 44.2    |
| Very good | 34.1    | 28.1    | 31.2                  | 37.2    | 33.2    |
| Good      | 16.7    | 19.6    | 18.1                  | 20.9    | 19.0    |
| Fair      | 1.5     | 4.2     | 2.8                   | 3.9     | 3.2     |
| Poor      | 0.0     | 0.4     | 0.2                   | 0.8     | 0.4     |

**IC4 - During the last 12 months, how much of a problem, if any, have your child's health care costs that were not covered by insurance been for your family? (n = 645)**

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| Big problem      | 1.7     | 2.7     | 2.1                   | 0.2     | 1.5     |
| Moderate problem | 5.7     | 8.8     | 7.2                   | 8.0     | 7.5     |
| Small problem    | 25.0    | 11.5    | 18.4                  | 12.1    | 16.3    |
| Not a problem    | 67.6    | 77.1    | 72.3                  | 79.7    | 74.8    |

**IC5 - During the last 12 months, has there been any time when you delayed getting needed health care for your child because of the costs, (including waiting to go to doctor, filling prescriptions, etc.)? (n = 660)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 5.1     | 4.6     | 4.8                   | 3.3     | 4.3     |
| No  | 94.9    | 95.4    | 95.2                  | 96.7    | 95.7    |

**IC6 - During the last 12 months, how much, if at all, have you worried about your ability to pay for your child's health care? (n = 660)**

|              | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------|---------|---------|-----------------------|---------|---------|
| A great deal | 6.2     | 3.4     | 4.8                   | 1.6     | 3.7     |
| Somewhat     | 3.9     | 7.7     | 5.8                   | 6.2     | 6.0     |
| A little     | 21.1    | 12.6    | 16.9                  | 19.7    | 17.8    |
| Not a lot    | 68.7    | 76.3    | 72.5                  | 72.4    | 72.5    |

**IC7 - During the last 12 months, has there been any time that your child has not had any health insurance? (n = 647)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 1.4     | 1.7     | 1.5                   | 2.3     | 1.8     |
| No  | 98.6    | 98.3    | 98.5                  | 97.7    | 98.2    |

**IC8 - For how many months, during the last 12 months, was your child without any health insurance? (n = 123)**

|                               | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------------------------|---------|---------|-----------------------|---------|---------|
| 0-1 month                     | 43.6    | 32.4    | 36.2                  | 46.7    | 40.1    |
| 2-6 months                    | 30.3    | 15.0    | 20.3                  | 30.8    | 24.2    |
| 7-12 months                   | 15.2    | 5.9     | 9.1                   | 22.5    | 14.2    |
| More than 12 months           | 0.0     | 21.8    | 14.3                  | 0.0     | 8.9     |
| Child has never had insurance | 10.9    | 25.0    | 20.2                  | 0.0     | 12.5    |

**IC10 - Has your child ever received health care coverage through Medicaid or Title 19 program? (n = 515)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 11.2    | 12.7    | 11.9                  | 11.9    | 11.9    |
| No  | 88.8    | 87.3    | 88.1                  | 88.1    | 88.1    |

**IC11 - Has your child ever received health care coverage through Iowa's Child Health Insurance Program, called Hawk-i? (n = 632)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.5     | 4.1     | 2.3                   | 2.8     | 2.5     |
| No  | 99.5    | 95.9    | 97.7                  | 97.2    | 97.5    |

**IC12** - How important is it to you for your child to have health insurance coverage? (n = 659)

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| Very important       | 97.8    | 96.6    | 97.2                  | 98.8    | 97.8    |
| Moderately important | 1.8     | 1.7     | 1.8                   | 1.2     | 1.6     |
| Somewhat important   | 0.4     | 0.5     | 0.4                   | 0.0     | 0.3     |
| Not very important   | 0.0     | 1.1     | 0.6                   | 0.0     | 0.4     |

**IC13** - Do you have any kind of health care coverage for yourself, including health insurance, prepaid plans (e.g. HMOs), or government plans (e.g. Medicaid or Title 19)? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 89.7    | 85.5    | 87.6                  | 88.5    | 87.9    |
| No  | 10.3    | 14.5    | 12.4                  | 11.5    | 12.1    |

**IC17** - How important is it to you that you have health insurance coverage for yourself? (n = 658)

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| Very important       | 82.7    | 86.7    | 84.7                  | 87.4    | 85.6    |
| Moderately important | 10.5    | 6.9     | 8.7                   | 10.0    | 9.2     |
| Somewhat important   | 5.7     | 4.1     | 4.9                   | 2.0     | 3.9     |
| Not very important   | 1.1     | 2.3     | 1.7                   | 0.7     | 1.3     |

### **SECTION 3. ACCESS/NEED**

**AN1** - During the last 12 months, was there any time when you or a health professional thought your child needed medical care of any kind? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 52.1    | 60.1    | 56.1                  | 59.6    | 57.3    |
| No  | 47.9    | 39.9    | 43.9                  | 40.4    | 42.7    |

**AN2** - During the last 12 months, was there any time when your child needed medical care but could not get it for any reason? (n = 387)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 4.4     | 1.6     | 2.9                   | 2.0     | 2.6     |
| No  | 95.6    | 98.4    | 97.1                  | 98.0    | 97.4    |

**AN3** - What was the main reason your child could not get needed medical care? (n = 7)

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Could not afford the care or have no insurance               | 45.9    | 0.0     | 32.2                  | 0.0     | 25.1    |
| Insurance / HMO coverage was inadequate                      | 0.0     | 0.0     | 0.0                   | 100.0   | 22.0    |
| Trouble getting an appointment                               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Distance or transportation problems                          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable with providers available at the time         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Available providers did not have expertise child needed      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Did not know where to go at night or on weekend              | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Could not get off work                                       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Language or communication problems                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child was too afraid to go                                   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Other  | 54.1    | 100.0   | 67.8                  | 0.0     | 52.8    |

**AN4** - During the last 12 months, when your child needed care right away for an illness or injury, how often did your child get care as soon as you wanted? (n = 388)

|                           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------------|---------|---------|-----------------------|---------|---------|
| Never                     | 0.5     | 0.0     | 0.2                   | 0.0     | 0.1     |
| Sometimes                 | 3.2     | 1.6     | 2.4                   | 1.7     | 2.1     |
| Usually                   | 13.5    | 7.5     | 10.3                  | 10.8    | 10.5    |
| Always                    | 79.3    | 86.7    | 83.2                  | 86.2    | 84.2    |
| No care needed right away | 3.5     | 4.2     | 3.9                   | 1.3     | 3.0     |

**AN5** - During the last 12 months, was there any time when you or a health professional thought your child needed care from a specialist? (n = 388)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 40.4    | 35.6    | 37.8                  | 33.2    | 36.2    |
| No  | 59.6    | 64.4    | 62.2                  | 66.8    | 63.8    |

**AN6** - During the last 12 months, was there any time when your child needed specialty care but could not get it for any reason? (n = 140)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 4.6     | 6.8     | 5.7                   | 9.1     | 6.8     |
| No  | 95.4    | 93.2    | 94.3                  | 90.9    | 93.2    |

**AN7** - During the last 12 months, how much of a problem, if any, was it to get the care your child needed from a specialist? (n = 140)

|               | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------|---------|---------|-----------------------|---------|---------|
| Big problem   | 0.0     | 4.5     | 2.2                   | 3.3     | 2.6     |
| Small problem | 7.5     | 10.4    | 9.0                   | 14.7    | 10.8    |
| Not a problem | 92.5    | 85.1    | 88.8                  | 81.9    | 86.6    |

**AN8** - During the last 12 months, how many times did your child go to a hospital emergency room? (n = 387)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| None             | 69.4    | 72.1    | 70.9                  | 66.4    | 69.3    |
| 1 time           | 22.1    | 12.0    | 16.7                  | 27.1    | 20.3    |
| 2 to 4 times     | 8.5     | 13.8    | 11.3                  | 5.7     | 9.4     |
| 5 to 9 times     | 0.0     | 2.1     | 1.1                   | 0.8     | 1.0     |
| 10 or more times | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**AN9** - What was the main reason for this visit to the ER? [Thinking about last ER visit]  
(n = 122)

|                                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------------------|---------|---------|-----------------------|---------|---------|
| Trauma / broken bones / stitches | 7.1     | 26.1    | 16.7                  | 50.9    | 29.9    |
| Cold / flu                       | 4.4     | 9.8     | 7.1                   | 4.2     | 6.0     |
| Ear infection                    | 8.6     | 7.7     | 8.1                   | 10.7    | 9.1     |
| High fever only                  | 24.5    | 11.4    | 17.9                  | 3.7     | 12.4    |
| Trouble breathing (asthma)       | 11.0    | 7.6     | 9.3                   | 2.7     | 6.8     |
| Severe cough / croup only        | 2.0     | 5.6     | 3.8                   | 0.8     | 2.7     |
| Rash                             | 0.0     | 1.3     | 0.7                   | 1.8     | 1.1     |
| Other                            | 42.5    | 30.5    | 36.4                  | 25.0    | 32.0    |

**AN10** - Did a doctor, nurse, or emergency personnel tell you to go to the ER for this care?  
[Thinking about last ER visit] (n = 123)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 55.2    | 33.0    | 43.8                  | 32.7    | 39.6    |
| No  | 44.8    | 67.0    | 56.2                  | 67.3    | 60.4    |

**AN11 - Do you think this care could have been provided by a doctor's office or clinic if one had been available? [Thinking about last ER visit] (n = 120)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 80.2    | 72.7    | 76.3                  | 68.6    | 73.4    |
| No  | 19.8    | 27.3    | 23.7                  | 31.4    | 26.6    |

**AN12 - What was the main reason you did not go to a doctor's office or clinic for this care? [Thinking about last ER visit] (n = 86)**

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Could not afford the care or have no insurance               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Insurance / HMO coverage was inadequate                      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Trouble getting an appointment                               | 0.0     | 2.2     | 1.1                   | 3.5     | 1.9     |
| Distance or transportation problems                          | 2.5     | 4.8     | 3.7                   | 0.0     | 2.4     |
| Not comfortable with providers available at the time         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Available providers did not have expertise child needed      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Inconvenient hours, not open when care needed                | 76.4    | 81.4    | 78.9                  | 84.3    | 80.8    |
| Did not know where to go at night or on weekend              | 21.0    | 9.5     | 15.3                  | 6.6     | 12.2    |
| Could not get off work                                       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Language or communication problems                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child was too afraid to go                                   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Other  | 0.0     | 2.2     | 1.1                   | 5.7     | 2.7     |

**AN13** - During the last 12 months, not counting times went to emergency room, how many times did your child go to the doctor's office or clinic, including all types of visits? (n = 387)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| None             | 1.4     | 0.0     | 0.7                   | 0.4     | 0.6     |
| 1 time           | 4.0     | 6.7     | 5.5                   | 4.0     | 4.9     |
| 2 to 4 times     | 24.0    | 47.5    | 36.6                  | 60.6    | 45.0    |
| 5 to 9 times     | 36.0    | 38.7    | 37.4                  | 25.2    | 33.2    |
| 10 or more times | 34.6    | 7.0     | 19.8                  | 9.8     | 16.3    |

**AN14A** - During the last 12 months, has your child's health care professional encouraged you to take any type of preventive health steps for your child (e.g. watching what he/she eats or using car seats)? [Age < 3] (n = 189)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 80.2    | 54.7    | 70.7                  | 0.0     | 70.7    |
| No  | 19.8    | 45.3    | 29.3                  | 0.0     | 29.3    |

**AN14B** - In the last 12 months, has your child's health care professional encouraged you to take any type of preventive health steps for your child (e.g. watching what he/she eats or using bicycle helmets or seat belts)? [Age 3-5] (n = 196)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 64.0    | 64.0                  | 65.5    | 65.0    |
| No  | 0.0     | 36.0    | 36.0                  | 34.5    | 35.0    |

**AN15** - When was your child's last visit for routine preventive care such as a check-up or vaccination shots? (n = 386)

|                         | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------------------|---------|---------|-----------------------|---------|---------|
| Less than 12 months ago | 97.2    | 95.8    | 96.5                  | 94.5    | 95.8    |
| 1-2 years ago           | 0.0     | 3.3     | 1.8                   | 5.5     | 3.0     |
| More than 2 years ago   | 0.0     | 0.9     | 0.5                   | 0.0     | 0.3     |
| Never                   | 2.8     | 0.0     | 1.3                   | 0.0     | 0.9     |

**AN16 - During the last 12 months, was there any time when your child needed routine preventive care but could not get it for any reason? (n = 388)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 4.0     | 0.9     | 2.3                   | 2.3     | 2.3     |
| No  | 96.0    | 99.1    | 97.7                  | 97.7    | 97.7    |

**AN17 - What was the main reason your child could not get preventive care? (n = 5)**

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Could not afford the care or have no insurance               | 50.0    | 0.0     | 40.0                  | 0.0     | 26.2    |
| Insurance / HMO coverage was inadequate                      | 0.0     | 0.0     | 0.0                   | 50.8    | 17.5    |
| Trouble getting an appointment                               | 50.0    | 0.0     | 40.0                  | 0.0     | 26.2    |
| Distance or transportation problems                          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable with providers available at the time         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Available providers did not have expertise child needed      | 0.0     | 100.0   | 20.0                  | 0.0     | 13.1    |
| Inconvenient hours, not open when care needed                | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Did not know where to go at night or on weekend              | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Could not get off work                                       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Language or communication problems                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child was too afraid to go                                   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Other  | 0.0     | 0.0     | 0.0                   | 49.2    | 17.0    |

## SECTION 3A. MEDICAL HOME

### MH – Medical Home Composite

|                            | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------------|---------|---------|-----------------------|---------|---------|
| Has Medical Home           | 85.9    | 76.0    | 81.0                  | 82.5    | 81.5    |
| Does not have Medical Home | 14.1    | 24.0    | 19.0                  | 17.5    | 18.5    |

**MH1** - Do you have one or more persons you think of as your child's personal doctor or nurse?  
(n = 658)

|                           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------------|---------|---------|-----------------------|---------|---------|
| Yes, one person           | 69.7    | 62.8    | 66.3                  | 61.6    | 64.7    |
| Yes, more than one person | 26.1    | 28.9    | 27.5                  | 32.4    | 29.1    |
| No                        | 4.3     | 8.2     | 6.2                   | 6.0     | 6.1     |

**MH2** - During the last 12 months, how often did your child's doctors and other health care providers spend enough time with your child? [All MH Qs asked only if thought needed medical care] (n = 385)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 0.0     | 0.8     | 0.4                   | 0.0     | 0.3     |
| Sometimes | 10.0    | 6.8     | 8.3                   | 3.8     | 6.7     |
| Usually   | 14.4    | 25.1    | 20.1                  | 29.1    | 23.2    |
| Always    | 75.6    | 67.3    | 71.2                  | 67.1    | 69.8    |

**MH3** - During the last 12 months, how often did your child's doctors and other health care providers listen to you? (n = 387)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 0.6     | 0.0     | 0.3                   | 0.0     | 0.2     |
| Sometimes | 8.7     | 6.6     | 7.6                   | 5.7     | 6.9     |
| Usually   | 14.9    | 26.1    | 20.9                  | 20.9    | 20.9    |
| Always    | 75.8    | 67.3    | 71.2                  | 73.4    | 72.0    |

**MH4** - During the last 12 months, how often did your child’s doctor or other health care providers help you feel like a partner in your child’s care? (n = 386)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Sometimes | 6.1     | 6.0     | 6.1                   | 4.0     | 5.4     |
| Usually   | 15.7    | 26.2    | 21.3                  | 25.6    | 22.8    |
| Always    | 78.1    | 67.8    | 72.6                  | 70.3    | 71.8    |

**MH5** - During the last 12 months, how often did your child get an appointment for regular or routine health care as soon as you wanted? (n = 387)

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Never                                      | 0.0     | 1.0     | 0.5                   | 0.0     | 0.3     |
| Sometimes                                  | 3.9     | 7.8     | 6.0                   | 8.8     | 7.0     |
| Usually                                    | 25.2    | 31.4    | 28.5                  | 32.6    | 29.9    |
| Always                                     | 70.9    | 59.7    | 65.0                  | 58.6    | 62.8    |
| Didn’t need appointment the last 12 months | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**MH6** - During the last 12 months, how often were you able to get all the information you wanted about your child’s health from your child’s doctor as soon as you wanted? (n = 386)

|                                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------------------------|---------|---------|-----------------------|---------|---------|
| Never                                | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Sometimes                            | 3.2     | 8.4     | 6.0                   | 2.7     | 4.8     |
| Usually                              | 29.0    | 32.5    | 30.9                  | 32.9    | 31.6    |
| Always                               | 67.7    | 58.3    | 62.7                  | 62.1    | 62.5    |
| Didn’t get info about child’s health | 0.0     | 0.7     | 0.4                   | 2.3     | 1.1     |

**MH9** - During the last 12 months, did your child need a referral to see any doctors or receive any services? (n = 385)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 37.1    | 26.1    | 31.2                  | 26.2    | 29.5    |
| No  | 62.9    | 73.9    | 68.8                  | 73.8    | 70.5    |

**MH10** - Was getting a referral a big problem, small problem, or not a problem? (n = 112)

|               | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------|---------|---------|-----------------------|---------|---------|
| Big problem   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Small problem | 8.2     | 9.9     | 9.0                   | 17.2    | 11.5    |
| Not a problem | 91.8    | 90.1    | 91.0                  | 82.8    | 88.5    |

**MH11** - Is there a place that your child usually goes when your child is sick or you need advice about your child's health? (n = 388)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 98.1    | 98.8    | 98.5                  | 99.3    | 98.7    |
| No  | 1.9     | 1.2     | 1.5                   | 0.7     | 1.3     |

**MH12** - What kind of place it is? (n = 382)

|   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---|---------|---------|-----------------------|---------|---------|
| Doctor's office                           | 64.4    | 73.3    | 69.2                  | 72.3    | 70.2    |
| Hospital emergency room                   | 0.0     | 0.0     | 0.0                   | 0.9     | 0.3     |
| Hospital outpatient clinic                | 5.7     | 1.4     | 3.4                   | 1.4     | 2.7     |
| Clinic or health center                   | 29.9    | 24.6    | 27.0                  | 23.0    | 25.6    |
| School (nurse's office, athletic trainer) | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Friend/relative                           | 0.0     | 0.7     | 0.4                   | 0.0     | 0.3     |
| Mexico/other location out of U.S.         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Some other place                          | 0.0     | 0.0     | 0.0                   | 2.4     | 0.8     |
| Does not go to one place most often       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**MH13** - Is there a place that your child usually goes when needs routine preventive care (e.g. physical examination or well-child check-up)? (n = 388)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 98.9    | 99.3    | 99.1                  | 100.0   | 99.4    |
| No  | 1.1     | 0.7     | 0.9                   | 0.0     | 0.6     |

**MH14** - Does your child usually go to the same place for routine preventive care as goes to when is sick? (n = 382)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 99.3    | 96.7    | 97.9                  | 96.9    | 97.6    |
| No  | 0.7     | 3.3     | 2.1                   | 3.1     | 2.4     |

**MH15** - What kind of place does your child usually go to when needs routine preventive care? [Asked if goes to different place] (n = 12)

|   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---|---------|---------|-----------------------|---------|---------|
| Doctor's office                           | 0.0     | 68.0    | 45.7                  | 22.7    | 36.4    |
| Hospital emergency room                   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Hospital outpatient clinic                | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Clinic or health center                   | 100.0   | 32.0    | 54.3                  | 61.1    | 57.1    |
| School (nurse's office, athletic trainer) | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Friend/relative                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Mexico/other location out of U.S.         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Some other place                          | 0.0     | 0.0     | 0.0                   | 16.2    | 6.6     |
| Does not go to one place most often       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**MH16** - During the last 12 months, did you feel you could have used extra help arranging or coordinating care among different health care providers or services? (n = 388)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 7.4     | 8.7     | 8.1                   | 5.6     | 7.2     |
| No  | 92.6    | 91.3    | 91.9                  | 94.4    | 92.8    |

**MH17** - During the last 12 months, how often did you get as much help as you wanted with arranging or coordinating your child's care? (n = 28)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 6.5     | 5.2     | 5.8                   | 13.0    | 7.8     |
| Sometimes | 55.9    | 60.8    | 58.6                  | 30.3    | 50.9    |
| Usually   | 19.0    | 8.9     | 13.3                  | 42.7    | 21.4    |
| Always    | 18.7    | 25.1    | 22.3                  | 14.0    | 20.0    |

**MH18** - Do your child's doctors or other health care providers need to communicate with your child's child care or school providers? (n = 382)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 9.8     | 16.2    | 13.2                  | 18.4    | 15.0    |
| No  | 90.2    | 83.8    | 86.8                  | 81.6    | 85.0    |

**MH19** - Overall, are you very satisfied, somewhat satisfied, somewhat dissatisfied, or very dissatisfied with that communication? (n = 51)

|                                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------------------------|---------|---------|-----------------------|---------|---------|
| Very satisfied                       | 70.4    | 63.7    | 65.8                  | 80.3    | 72.2    |
| Somewhat satisfied                   | 15.7    | 36.3    | 29.7                  | 19.7    | 25.3    |
| Somewhat dissatisfied                | 13.9    | 0.0     | 4.4                   | 0.0     | 2.5     |
| Very dissatisfied                    | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| No communication needed<br>or wanted | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**MH20** - When your child is seen by doctors or other health care providers, how often are they sensitive to your family's values and customs? (n = 380)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Sometimes | 7.1     | 4.3     | 5.6                   | 2.9     | 4.7     |
| Usually   | 13.7    | 19.3    | 16.7                  | 19.5    | 17.7    |
| Always    | 79.2    | 76.4    | 77.7                  | 77.6    | 77.7    |

**MH21** - How often has your child's race or ethnicity affected the quality of your child's health care? (n = 386)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 95.4    | 95.2    | 95.3                  | 98.9    | 96.5    |
| Sometimes | 4.6     | 2.2     | 3.3                   | 0.0     | 2.2     |
| Usually   | 0.0     | 1.0     | 0.5                   | 0.4     | 0.5     |
| Always    | 0.0     | 1.6     | 0.9                   | 0.7     | 0.8     |

### SECTION 3B. PRESCRIPTION MEDICINE

**RX1** - During the last 12 months, was there a time when you or a health care professional thought your child needed prescription medication? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 57.0    | 64.3    | 60.7                  | 58.4    | 59.9    |
| No  | 43.0    | 35.7    | 39.3                  | 41.6    | 40.1    |

**RX2** - During the last 12 months, was there any time when your child needed prescription medicine but could not get it for any reason? (n = 399)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.9     | 2.0     | 1.5                   | 0.8     | 1.3     |
| No  | 99.1    | 98.0    | 98.5                  | 99.2    | 98.7    |

**RX3 - What was the main reason your child could not get prescription medication? (n = 5)**

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Could not afford the care or have no insurance               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Insurance / HMO coverage was inadequate                      | 100.0   | 65.4    | 75.1                  | 0.0     | 59.5    |
| Trouble getting an appointment                               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Distance or transportation problems                          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable with providers available at the time         | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Available providers did not have expertise child needed      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0     | 34.6    | 24.9                  | 0.0     | 19.7    |
| Did not know where to go at night or on weekend              | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Could not get off work                                       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Language or communication problems                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child was too afraid to go                                   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Other  | 0.0     | 0.0     | 0.0                   | 100.0   | 20.7    |

## SECTION 3C. DENTAL CARE

**DX1** - Does your child currently have insurance that covers dental care? (n = 650)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 73.7    | 82.6    | 78.1                  | 82.0    | 79.5    |
| No  | 26.3    | 17.4    | 21.9                  | 18.0    | 20.5    |

**DX2** - During the last 12 months, was there any time when you or a health professional thought your child needed dental care (including routine care/checkups)? [Age 1+] (n = 2,378)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 57.0    | 64.3    | 60.7                  | 58.4    | 59.9    |
| No  | 43.0    | 35.7    | 39.3                  | 41.6    | 40.1    |

**DX3** - What kind of dental care did you or a health professional think your child needed? (n = 1,819)

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Check-up or cleaning                             | 92.0    | 96.3    | 95.7                  | 96.5    | 96.2    |
| Emergency dental care                            | 8.0     | 3.6     | 4.2                   | 1.6     | 2.7     |
| Other treatment such as fillings                 | 0.0     | 11.4    | 9.8                   | 18.6    | 15.0    |
| Dental screening, sealants or fluoride treatment | 8.0     | 11.6    | 11.1                  | 27.4    | 20.7    |
| Don't know what type of dental care was needed   | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**DX4** - In the last 12 months, was there any time when your child needed dental care but could not get it for any reason? (n = 299)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 16.0    | 5.7     | 7.1                   | 0.6     | 3.2     |
| No  | 84.0    | 94.3    | 92.9                  | 99.4    | 96.8    |

**DX5 - What was the main reason your child could not get dental care? (n = 10)**

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| Could not afford the care or have no insurance               | 0.0     | 40.2    | 27.3                  | 100.0   | 34.7    |
| Insurance / HMO coverage was inadequate                      | 50.0    | 20.0    | 29.6                  | 0.0     | 26.6    |
| Trouble getting an appointment                               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Distance or transportation problems                          | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Not comfortable with providers available at the time         | 0.0     | 7.5     | 5.1                   | 0.0     | 4.6     |
| Available providers did not have expertise child needed      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Did not know where to go at night or on weekend              | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Could not get off work                                       | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Language or communication problems                           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child was too afraid to go                                   | 0.0     | 14.9    | 10.1                  | 0.0     | 9.1     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Other  | 50.0    | 17.4    | 27.9                  | 0.0     | 25.0    |

**DX6A - In the last 12 months, was there any time when your child received dental care services in a WIC CLINIC? (n = 297)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 35.9    | 13.0    | 16.3                  | 5.4     | 9.9     |
| No  | 64.1    | 87.0    | 83.7                  | 94.6    | 90.1    |

**DX6B** - In the last 12 months, was there any time when your child received dental care services in a HEAD START CENTER? [Age < 6] (n = 299)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 6.0     | 5.2                   | 4.6     | 4.8     |
| No  | 100.0   | 94.0    | 94.8                  | 95.4    | 95.2    |

**DX6C** - In the last 12 months, was there any time when your child received dental care services in a PRESCHOOL? [Age < 6] (n = 299)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 4.1     | 3.5                   | 14.7    | 10.1    |
| No  | 100.0   | 95.9    | 96.5                  | 85.3    | 89.9    |

**DX6D** - In the last 12 months, was there any time when your child received dental care services in a CHILD CARE SETTING? [Age < 6] (n = 300)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 1.8     | 1.5                   | 6.0     | 4.1     |
| No  | 100.0   | 98.2    | 98.5                  | 94.0    | 95.9    |

**DX6E** - In the last 12 months, was there any time when your child received dental care services in a SCHOOL? [Age 5+] (n = 91)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 0.0     | 0.0                   | 4.1     | 4.1     |
| No  | 0.0     | 0.0     | 0.0                   | 95.9    | 95.9    |

**DX7 - Is there one main place where you usually go for your child's dental care? (n = 548)**

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| Yes                  | 42.6    | 71.6    | 61.9                  | 92.3    | 74.0    |
| No                   | 4.9     | 4.7     | 4.8                   | 5.0     | 4.9     |
| Child has never been | 52.5    | 23.7    | 33.3                  | 2.7     | 21.1    |

**DX8 - What kind of place do you usually go for your child's dental care? (n = 393)**

|                         | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------------------|---------|---------|-----------------------|---------|---------|
| Dental office           | 65.0    | 93.0    | 86.6                  | 92.9    | 89.7    |
| Clinic                  | 17.1    | 5.9     | 8.4                   | 4.9     | 6.7     |
| Community health center | 15.0    | 0.5     | 3.9                   | 1.8     | 2.8     |
| Somewhere else          | 2.9     | 0.6     | 1.1                   | 0.4     | 0.8     |

**DX9 - When was your child's last check-up by a dentist? (n = 415)**

|                                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------------------------------|---------|---------|-----------------------|---------|---------|
| Less than 12 months ago             | 18.1    | 73.2    | 60.0                  | 91.6    | 75.5    |
| Between 1 and 2 years ago           | 0.0     | 2.9     | 2.2                   | 2.9     | 2.6     |
| More than 2 years ago               | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Child has never been to the dentist | 81.9    | 23.9    | 37.7                  | 5.5     | 21.9    |

**DX10 - How often were you able to get dental care for your child as soon as you wanted? (n = 466)**

|             | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------|---------|---------|-----------------------|---------|---------|
| Never       | 0.0     | 2.2     | 1.5                   | 1.2     | 1.4     |
| Sometimes   | 7.3     | 5.8     | 6.2                   | 5.3     | 5.8     |
| Usually     | 8.4     | 15.8    | 13.7                  | 17.6    | 15.5    |
| Always      | 17.9    | 55.6    | 44.9                  | 72.4    | 57.4    |
| Never tried | 29.0    | 10.5    | 15.8                  | 2.7     | 9.9     |

**DX11 - How would you rate your child's overall dental health? (n = 535)**

|           | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-----------|----------------|----------------|-------------------------------|----------------|----------------|
| Excellent | 52.1           | 51.5           | 51.7                          | 42.1           | 47.8           |
| Very good | 30.7           | 27.0           | 28.2                          | 37.8           | 32.1           |
| Good      | 15.8           | 19.2           | 18.1                          | 15.0           | 16.8           |
| Fair      | 0.0            | 1.5            | 1.0                           | 5.2            | 2.7            |
| Poor      | 1.3            | 0.9            | 1.0                           | 0.0            | 0.6            |

**SECTION 3D. BEHAVIORAL AND EMOTIONAL HEALTH CARE**

**BC1 - During the last 12 months, was there a time when you or a health care professional thought your child needed behavioral or emotional care? (n = 13)**

|     | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-----|----------------|----------------|-------------------------------|----------------|----------------|
| Yes | 0.6            | 2.7            | 1.7                           | 4.0            | 2.5            |
| No  | 99.4           | 97.3           | 98.3                          | 96.0           | 97.5           |

**BC2 - During the last 12 months, was there any time when your child needed care for behavioral or emotional problems but could not get it for any reason? (n = 19)**

|     | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-----|----------------|----------------|-------------------------------|----------------|----------------|
| Yes | 0.0            | 15.5           | 12.4                          | 22.9           | 18.3           |
| No  | 100.0          | 84.5           | 87.6                          | 77.1           | 81.7           |

## SECTION 5. EARLY CHILDHOOD

**EC1** - Do you have any concerns about your child's learning, development, or behavior?  
[Age < 6] (n = 659)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 3.2     | 6.2     | 4.7                   | 5.9     | 5.1     |
| No  | 96.8    | 93.8    | 95.3                  | 94.1    | 94.9    |

**EC2A** - Are you concerned about how your child talks and makes speech sounds? [Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 67.3    | 46.8    | 53.8                  | 65.0    | 58.1    |
| No  | 32.7    | 53.2    | 46.2                  | 35.0    | 41.9    |

**EC2B** - Are you concerned about how your child understands what you say? [Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 67.3    | 45.3    | 52.8                  | 17.7    | 39.3    |
| No  | 32.7    | 54.7    | 47.2                  | 82.3    | 60.7    |

**EC2C** - Are you concerned about how your child uses hands and fingers to do things?  
[Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 19.2    | 16.6    | 17.5                  | 23.9    | 20.0    |
| No  | 80.8    | 83.4    | 82.5                  | 76.1    | 80.0    |

**EC2D** - Are you concerned about how your child uses his/her arms and legs? [Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 19.2    | 19.8    | 19.6                  | 20.2    | 19.8    |
| No  | 80.8    | 80.2    | 80.4                  | 79.8    | 80.2    |

**EC2E** - Are you concerned about how your child behaves? [Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 48.1    | 77.0    | 67.2                  | 59.2    | 64.1    |
| No  | 51.9    | 23.0    | 32.8                  | 40.8    | 35.9    |

**EC2F** - Are you concerned about how your child gets along with others? [Age 4 months to 5 years] (n = 34)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 19.2    | 60.0    | 46.1                  | 61.7    | 52.1    |
| No  | 80.8    | 40.0    | 53.9                  | 38.3    | 47.9    |

**EC2G** - Are you concerned about how your child is learning to do things for him/herself? [Age 10 months to 5 years] (n = 33)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 51.9    | 45.0    | 47.4                  | 40.8    | 44.9    |
| No  | 48.1    | 55.0    | 52.6                  | 59.2    | 55.1    |

**EC2H** - Are you concerned about how your child is learning pre-school or school skills? [Age 18 months to 5 years] (n = 31)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 0.0     | 45.0    | 38.5                  | 31.2    | 35.3    |
| No  | 100.0   | 55.0    | 61.5                  | 68.8    | 64.7    |

**EC3** - During the last 12 months, did your child’s doctors or other health care providers ask you if you have concerns about your child learning, development, or behavior? (n = 652)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 48.9    | 45.1    | 47.0                  | 51.2    | 48.4    |
| No  | 51.1    | 54.9    | 53.0                  | 48.8    | 51.6    |

**EC4** - During the last 12 months, did your child’s doctors or other health care providers give you specific information to address your concerns about learning, development, or behavior? (n = 22)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 100.0   | 64.0    | 71.5                  | 91.2    | 80.4    |
| No  | 0.0     | 36.0    | 28.5                  | 8.8     | 19.6    |

**EC5** - During the last 12 months, did a doctor or other health care provider have you fill out a questionnaire about specific concerns or observations? [Age 10 months+] (n = 534)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 50.4    | 33.8    | 39.7                  | 28.5    | 35.3    |
| No  | 49.6    | 66.2    | 60.3                  | 71.5    | 64.7    |

**EC6** - Does your child have any developmental problems for which he/she has a written an intervention plan called IEP, or is enrolled in Early Access or Early Intervention? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 1.3     | 2.1     | 1.7                   | 5.5     | 3.0     |
| No  | 98.7    | 97.9    | 98.3                  | 94.5    | 97.0    |

**EC7** - How often, during the last week, did you or someone in your family read to your child?  
(n = 660)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| Almost every day | 48.8    | 73.5    | 61.2                  | 68.4    | 63.6    |
| Most days        | 20.2    | 16.2    | 18.2                  | 21.9    | 19.4    |
| Some days        | 23.4    | 10.1    | 16.7                  | 9.4     | 14.3    |
| Not at all       | 7.6     | 0.2     | 3.9                   | 0.4     | 2.7     |

**EC8A** - In the last week, did a family member tell your child a story? (n = 659)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 90.3    | 95.0    | 92.6                  | 96.8    | 94.0    |
| No  | 9.7     | 5.0     | 7.4                   | 3.2     | 6.0     |

**EC8B** - In the last week, did a family member work with your child on letters, words, or numbers? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 47.0    | 93.5    | 70.3                  | 95.0    | 78.5    |
| No  | 53.0    | 6.5     | 29.7                  | 5.0     | 21.5    |

**EC8C** - In the last week, did a family member sing your child songs or play your child music?  
(n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 100.0   | 95.8    | 97.9                  | 95.1    | 97.0    |
| No  | 0.0     | 4.2     | 2.1                   | 4.9     | 3.0     |

**EC8D** - In the last week, did a family member work on arts and crafts with your child? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 30.8    | 81.2    | 56.1                  | 84.4    | 65.6    |
| No  | 69.2    | 18.8    | 43.9                  | 15.6    | 34.4    |

**EC8E** - In the last week, did a family member play a game with your child? (n = 658)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 78.9    | 90.9    | 84.9                  | 92.1    | 87.3    |
| No  | 21.1    | 9.1     | 15.1                  | 7.9     | 12.7    |

## SECTION 6. CHILD CARE

**CC1** - About how many hours last week did your child spend in child care (e.g. child care center, home-based child care, preschool, pre-k, or Head Start program)? [Age 5 & under] (n = 659)

|       | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------|---------|---------|-----------------------|---------|---------|
| None  | 41.8    | 36.6    | 39.2                  | 31.6    | 36.7    |
| 1-10  | 7.2     | 7.6     | 7.4                   | 16.6    | 10.5    |
| 11-20 | 6.4     | 9.4     | 7.9                   | 17.0    | 10.9    |
| 21-30 | 8.6     | 11.8    | 10.2                  | 7.4     | 9.3     |
| 31-40 | 22.1    | 24.6    | 23.3                  | 18.8    | 21.8    |
| 40+   | 13.8    | 10.0    | 11.9                  | 8.5     | 10.8    |

**CC2** - How many different child care centers, home-based child care, preschool, pre-k, or Head Start programs does your child currently go to during a typical week? (n = 420)

|   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---|---------|---------|-----------------------|---------|---------|
| 0 | 0.6     | 0.0     | 0.3                   | 0.0     | 0.2     |
| 1 | 93.4    | 80.9    | 86.8                  | 69.0    | 80.4    |
| 2 | 6.0     | 17.7    | 12.2                  | 29.4    | 18.4    |
| 3 | 0.0     | 1.3     | 0.7                   | 1.5     | 1.0     |

**CC3 - In the last week, what were the most hours your child spent at...? (n = 418)**

|  | <b>Mean (Range)</b> | <b>Percent with any hours in setting</b> |
|--|---------------------|--|
| Child care center                                  | 28.94 (1-50)        | 33.7                                     |
| Home based child care provider                     | 28.33 (1-55)        | 46.4                                     |
| Head start program                                 | 22.36 (4-40)        | 4.8                                      |
| Preschool, other than head start                   | 14.03 (3-40)        | 24.1                                     |
| Pre-kindergarten                                   | 21.23 (5-35)        | 5.3                                      |
| Friend, neighbor or someone unrelated to the child | 12.25 (2-45)        | 5.9                                      |
| Child's grandparent                                | 11.64 (1-48)        | 32.8                                     |
| Other relative                                     | 11.16 (1-40)        | 7.6                                      |

**CC4 - During the last 12 months, has your child been asked to leave a child care setting due to behavior such as biting, hitting or other disruptive behaviors? (n = 659)**

|     | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal (Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-----|----------------|----------------|---------------------------|----------------|----------------|
| Yes | 0.0            | 0.4            | 0.2                       | 0.5            | 0.3            |
| No  | 100.0          | 99.6           | 99.8                      | 99.5           | 99.7           |

## **SECTION 8. SOCIAL DETERMINANTS OF HEALTH**

**SD1 - During the last week, how often did all the family members who live in the household eat a meal together? (n = 659)**

|           | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal (Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-----------|----------------|----------------|---------------------------|----------------|----------------|
| Everyday  | 45.2           | 59.8           | 52.5                      | 46.1           | 50.4           |
| Most days | 42.1           | 30.9           | 36.5                      | 39.4           | 37.5           |
| Some days | 12.7           | 8.7            | 10.7                      | 13.3           | 11.5           |
| Never     | 0.0            | 0.6            | 0.3                       | 1.3            | 0.6            |

**SD2** – In the last 12 months, about how often has your child attended a religious service or activity? (n = 660)

|                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------|---------|---------|-----------------------|---------|---------|
| Never               | 20.6    | 19.1    | 19.9                  | 12.0    | 17.2    |
| A few times a year  | 19.6    | 22.0    | 20.8                  | 19.1    | 20.3    |
| A few times a month | 25.3    | 19.2    | 22.3                  | 26.1    | 23.5    |
| Once a week or more | 34.5    | 39.6    | 37.0                  | 42.8    | 39.0    |

**SD** – Aggravation parenting scale (n = 660)

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| High aggravation in parenting          | 3.3     | 3.0     | 3.2                   | 2.9     | 3.1     |
| Moderate aggravation in parenting      | 44.6    | 68.2    | 56.4                  | 73.3    | 62.0    |
| Low levels of aggravation in parenting | 52.2    | 28.7    | 40.5                  | 23.8    | 34.9    |

**SD3** - How much of the time in the last month have you felt your child is much harder to care for than most children the same age? (n = 657)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 1.0     | 1.5     | 1.2                   | 0.5     | 1.0     |
| Most of the time | 3.0     | 1.0     | 2.0                   | 2.4     | 2.1     |
| Some of the time | 19.0    | 22.5    | 20.8                  | 18.7    | 20.1    |
| None of the time | 77.0    | 75.0    | 76.0                  | 78.5    | 76.8    |

**SD4** - How much of the time in the last month have you felt your child does things that really bother you a lot? (n = 659)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 0.0     | 0.5     | 0.3                   | 0.8     | 0.5     |
| Most of the time | 0.0     | 0.0     | 0.0                   | 1.1     | .4      |
| Some of the time | 25.2    | 46.3    | 35.8                  | 45.2    | 38.9    |
| None of the time | 74.8    | 53.1    | 64.0                  | 52.9    | 60.3    |

**SD5** - How much of the time in the last month have you felt you are giving up more of your life to meet your child's needs than you ever expected? (n = 657)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 2.5     | 3.5     | 3.0                   | 1.7     | 2.6     |
| Most of the time | 3.2     | 2.3     | 2.7                   | 3.2     | 2.9     |
| Some of the time | 15.8    | 15.6    | 15.7                  | 20.6    | 17.3    |
| None of the time | 78.5    | 78.7    | 78.6                  | 74.5    | 77.2    |

**SD6** - How much of the time in the last month have you felt angry with your child? (n = 660)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| Most of the time | 0.8     | 0.0     | 0.4                   | 0.7     | 0.5     |
| Some of the time | 16.2    | 48.9    | 32.6                  | 60.0    | 41.7    |
| None of the time | 83.0    | 51.1    | 67.1                  | 39.3    | 57.8    |

**SD7** - Is there someone that you can turn to for day-to-day emotional help with raising children? (Can include spouse) (n = 659)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 97.6    | 97.3    | 97.4                  | 95.7    | 96.9    |
| No  | 2.4     | 2.7     | 2.6                   | 4.3     | 3.1     |

**SD8** - People in this neighborhood help each other out. (n = 643)

|                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------|---------|---------|-----------------------|---------|---------|
| Definitely agree    | 39.9    | 43.8    | 41.8                  | 48.0    | 43.9    |
| Somewhat agree      | 48.5    | 37.9    | 43.2                  | 37.4    | 41.2    |
| Somewhat disagree   | 6.9     | 8.3     | 7.6                   | 9.0     | 8.1     |
| Definitely disagree | 4.7     | 10.0    | 7.4                   | 5.5     | 6.8     |

**SD9** - We watch out for each other's children in this community. (n = 642)

|                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------|---------|---------|-----------------------|---------|---------|
| Definitely agree    | 46.2    | 53.4    | 49.8                  | 54.3    | 51.3    |
| Somewhat agree      | 44.2    | 33.6    | 38.9                  | 34.8    | 37.5    |
| Somewhat disagree   | 6.9     | 6.1     | 6.5                   | 6.5     | 6.5     |
| Definitely disagree | 2.7     | 7.0     | 4.8                   | 4.4     | 4.7     |

**SD10** - There are people I can count on in this community. (n = 652)

|                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------|---------|---------|-----------------------|---------|---------|
| Definitely agree    | 57.1    | 58.7    | 57.9                  | 67.4    | 61.1    |
| Somewhat agree      | 35.8    | 31.1    | 33.4                  | 27.7    | 31.5    |
| Somewhat disagree   | 4.5     | 3.4     | 3.9                   | 3.3     | 3.7     |
| Definitely disagree | 2.7     | 6.9     | 4.8                   | 1.6     | 3.7     |

**SD11** - If my child were outside playing and got hurt or scared, there are adults nearby who I trust to help my child. (n = 643)

|                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------|---------|---------|-----------------------|---------|---------|
| Definitely agree    | 63.7    | 68.3    | 66.0                  | 67.5    | 66.5    |
| Somewhat agree      | 28.2    | 24.0    | 26.1                  | 25.0    | 25.7    |
| Somewhat disagree   | 5.2     | 3.3     | 4.2                   | 3.8     | 4.1     |
| Definitely disagree | 2.9     | 4.4     | 3.7                   | 3.7     | 3.7     |

**SD12** - How often do you feel your child is safe in your community or neighborhood?  
(n = 659)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 1.3     | 1.3     | 1.3                   | 2.1     | 1.6     |
| Sometimes | 4.0     | 11.6    | 7.8                   | 4.6     | 6.7     |
| Usually   | 38.3    | 36.7    | 37.5                  | 43.8    | 39.6    |
| Always    | 56.4    | 50.4    | 53.4                  | 49.5    | 52.1    |

**SD14 - Was your child ever breastfed or fed breast milk? (n = 656)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 86.6    | 77.7    | 82.2                  | 76.9    | 80.4    |
| No  | 13.4    | 22.3    | 17.8                  | 23.1    | 19.6    |

**SD15 - How old was your child when he/she completely stopped breastfeeding or being fed breast milk? (n = 515)**

|                        | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------------|---------|---------|-----------------------|---------|---------|
| Less than one week     | 1.1     | 0.7     | 0.9                   | 1.5     | 1.1     |
| 1 week to 6 weeks      | 18.6    | 14.1    | 16.5                  | 11.0    | 14.8    |
| 7 weeks to 3 months    | 18.0    | 16.8    | 17.5                  | 15.1    | 16.7    |
| 4 months to 6 months   | 11.8    | 19.4    | 15.3                  | 21.8    | 17.4    |
| 7 months to 9 months   | 9.1     | 11.7    | 10.3                  | 12.8    | 11.1    |
| 10 months to 12 months | 6.8     | 13.8    | 10.1                  | 16.1    | 12.0    |
| More than 12 months    | 8.1     | 22.9    | 15.0                  | 21.6    | 17.1    |
| Still breastfeeding    | 26.5    | 0.7     | 14.4                  | 0.0     | 9.8     |

**SD16 - How old was your child when he/she was first fed formula? (n = 517)**

|                                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------------------|---------|---------|-----------------------|---------|---------|
| At birth                         | 11.8    | 14.8    | 13.2                  | 9.4     | 12.0    |
| Less than 1 week                 | 11.0    | 7.5     | 9.4                   | 5.5     | 8.2     |
| 1 week to 6 weeks                | 17.7    | 15.8    | 16.8                  | 9.5     | 14.5    |
| 7 weeks to 3 months              | 15.3    | 12.9    | 14.2                  | 16.9    | 15.0    |
| 4 months to 6 months             | 11.0    | 18.7    | 14.6                  | 15.5    | 14.9    |
| 7 months to 9 months             | 8.2     | 4.7     | 6.6                   | 9.4     | 7.5     |
| 10 months to 12 months           | 1.5     | 5.8     | 3.5                   | 3.7     | 3.6     |
| More than 12 months              | 0.4     | 0.0     | 0.2                   | 2.6     | 1.0     |
| Child has never been fed formula | 23.1    | 19.8    | 21.5                  | 27.5    | 23.4    |

## SECTION 9. NUTRITION

**NP1** - The food we bought just did not last, and we did not have money to get more? (n = 659)

|                | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------|---------|---------|-----------------------|---------|---------|
| Often true     | 3.6     | 1.5     | 2.6                   | 1.2     | 2.1     |
| Sometimes true | 9.9     | 12.5    | 11.2                  | 9.4     | 10.6    |
| Never true     | 86.5    | 86.0    | 86.3                  | 89.4    | 87.3    |

**NP2** - In the last 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there was not enough money for food? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 11.2    | 9.4     | 10.3                  | 6.1     | 8.9     |
| No  | 88.8    | 90.6    | 89.7                  | 93.9    | 91.1    |

**NP3** - In the last 12 months, were you ever hungry but did not eat because there was not enough money for food? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 6.1     | 5.0     | 5.5                   | 6.1     | 5.7     |
| No  | 93.9    | 95.0    | 94.5                  | 93.9    | 94.3    |

**NP4** - In an average week, how often does your child eat breakfast? [Age 6 months +] (n = 601)

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Never     | 0.0     | 0.0     | 0.0                   | 0.2     | 0.1     |
| Sometimes | 2.0     | 4.5     | 3.5                   | 4.4     | 3.8     |
| Usually   | 1.6     | 11.1    | 7.1                   | 10.2    | 8.2     |
| Always    | 96.4    | 84.4    | 89.4                  | 85.3    | 87.9    |

**NP5** - On an average day, not counting fruit juice, how many servings of fruit does your child eat? [Age 6 months +] (n = 588)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| 0   | 4.1     | 0.2     | 1.8                   | 1.9     | 1.9     |
| 1   | 12.7    | 14.7    | 13.9                  | 21.3    | 16.6    |
| 2-3 | 66.6    | 75.3    | 71.7                  | 64.6    | 69.1    |
| 4-5 | 14.2    | 8.6     | 11.0                  | 11.5    | 11.2    |
| 6+  | 2.3     | 1.1     | 1.5                   | 0.6     | 1.3     |

**NP6** - On an average day, not counting fruit juice, how many servings of fruit do you eat? (n = 653)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| 0   | 7.1     | 10.1    | 8.6                   | 13.8    | 10.3    |
| 1   | 30.1    | 37.1    | 33.6                  | 34.3    | 33.8    |
| 2-3 | 51.7    | 47.1    | 49.3                  | 44.5    | 47.7    |
| 4-5 | 9.9     | 5.2     | 7.5                   | 6.4     | 7.1     |
| 6+  | 1.3     | 0.5     | 0.9                   | 1.1     | 0.9     |

**NP7** - On an average day, how many servings of vegetables does your child eat? [Age 6 months+] (n = 593)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| 0   | 3.1     | 2.3     | 2.6                   | 4.5     | 3.3     |
| 1   | 16.1    | 24.9    | 21.2                  | 24.1    | 22.3    |
| 2-3 | 70.3    | 66.3    | 68.0                  | 63.5    | 66.3    |
| 4-5 | 8.8     | 6.5     | 7.4                   | 7.4     | 7.4     |
| 6+  | 1.8     | 0.0     | 0.8                   | 0.4     | 0.7     |

**NP8** - On an average day, how many servings of vegetables do you eat? (n = 655)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| 0   | 1.7     | 4.3     | 3.0                   | 1.7     | 2.6     |
| 1   | 24.1    | 29.1    | 26.6                  | 21.2    | 24.8    |
| 2-3 | 59.6    | 59.5    | 59.5                  | 63.6    | 60.9    |
| 4-5 | 12.8    | 6.6     | 9.7                   | 12.2    | 10.5    |
| 6+  | 1.7     | 0.4     | 1.1                   | 1.2     | 1.2     |

**NP9** - On an average day, how many cans of soda, pop, or soft drinks does your child drink in a single day? [Age 6 months +] (n = 601)

|    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----|---------|---------|-----------------------|---------|---------|
| 0  | 100.0   | 98.6    | 99.2                  | 92.6    | 96.8    |
| 1  | 0.0     | 1.2     | .7                    | 7.2     | 3.1     |
| 2  | 0.0     | 0.0     | 0.0                   | 0.2     | 0.1     |
| 3  | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| 4  | 0.0     | 0.2     | 0.1                   | 0.0     | 0.1     |
| 5+ | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**NP10** - How often does your child drink any type of milk (including milk added to cereal)? (n = 659)

|   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---|---------|---------|-----------------------|---------|---------|
| Rarely (less than once a week)                            | 0.3     | 0.0     | 0.1                   | 0.0     | 0.1     |
| Sometimes (once a week or more, but less than once a day) | 0.6     | 2.4     | 1.5                   | 1.5     | 1.5     |
| Often (at least once a day)                               | 6.6     | 14.8    | 10.7                  | 14.6    | 12.0    |
| More than once a day                                      | 72.8    | 81.9    | 77.4                  | 83.7    | 79.5    |
| Never   | 19.7    | 1.0     | 10.3                  | 0.2     | 6.9     |

**NP11 - What type of milk was it? (n = 611)**

|                              | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|------------------------------|----------------|----------------|-------------------------------|----------------|----------------|
| Whole or regular milk        | 47.6           | 13.2           | 28.5                          | 7.0            | 20.8           |
| 2% fat or reduced-fat milk   | 7.9            | 33.9           | 22.3                          | 32.9           | 26.1           |
| 1% low-fat milk              | 9.2            | 27.4           | 19.3                          | 23.0           | 20.6           |
| Fat-free skim or nonfat milk | 3.8            | 22.3           | 14.0                          | 33.9           | 21.2           |
| Soy milk                     | 2.3            | 2.5            | 2.4                           | 0.4            | 1.7            |
| Breast milk                  | 17.3           | 0.0            | 7.7                           | 0.0            | 4.9            |
| Goat milk                    | 0.0            | 0.0            | 0.0                           | 0.0            | 0.0            |
| Another type of milk         | 11.9           | 0.9            | 5.8                           | 2.8            | 4.7            |

**NP12 - How tall is your child?**

| <b>Age</b> | <b>Mean height (range)<br/>[inches]</b> |
|------------|---|
| 0          | 25.86 (18-51)                           |
| 1          | 31.62 (18-47)                           |
| 2          | 34.58 (24-45)                           |
| 3          | 37.90 (29-49)                           |
| 4          | 41.84 (36-59)                           |
| 5          | 44.11 (36-56)                           |
| 6          | 46.86 (36-54)                           |
| 7          | 48.27 (36-59)                           |
| 8          | 51.15 (36-60)                           |
| 9          | 53.41 (44-64)                           |
| 10         | 56.18 (45-66)                           |
| 11         | 59.24 (49-67)                           |
| 12         | 61.23 (50-71)                           |
| 13         | 63.58 (53-74)                           |
| 14         | 65.79 (50-74)                           |
| 15         | 67.35 (54-76)                           |
| 16         | 68.24 (57-80)                           |
| 17         | 68.08 (59-77)                           |

**NP13 - How much does your child weigh?**

| <b>Age</b> | <b>Mean weight (range)<br/>[pounds]</b> |
|------------|---|
| 0          | 16.52 (4-30)                            |
| 1          | 24.70 (17-35)                           |
| 2          | 30.42 (21-48)                           |
| 3          | 34.67 (25-50)                           |
| 4          | 39.99 (26-65)                           |
| 5          | 43.75 (29-65)                           |
| 6          | 50.55 (35-90)                           |
| 7          | 56.88 (38-109)                          |
| 8          | 68.85 (27-130)                          |
| 9          | 74.30 (42-125)                          |
| 10         | 83.44 (52-158)                          |
| 11         | 96.32 (53-200)                          |
| 12         | 109.96 (52-223)                         |
| 13         | 122.06 (74-190)                         |
| 14         | 129.71 (60-280)                         |
| 15         | 152.86 (85-340)                         |
| 16         | 146.43 (91-240)                         |
| 17         | 154.90 (17-290)                         |

**NP14 - Compared to other children the same age and height, do you think your child weighs the right amount, too much or too little? (n = 658)**

|                  | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|------------------|----------------|----------------|-------------------------------|----------------|----------------|
| The right amount | 84.5           | 87.7           | 86.1                          | 86.7           | 86.3           |
| Too much         | 4.4            | 2.3            | 3.3                           | 2.1            | 2.9            |
| Too little       | 11.0           | 10.0           | 10.5                          | 11.2           | 10.7           |

## SECTION 10. CHILD HEALTH – PHYSICAL ACTIVITY

**NP18** - During the past 7 days, on how many days was your child physically active for a total of at least 60 minutes per day? [Age 2+] (n = 455)

|        | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------|---------|---------|-----------------------|---------|---------|
| 0 days | N/A     | 0.0     | 0.0                   | 0.0     | 0.0     |
| 1 day  | N/A     | 0.5     | 0.5                   | 0.3     | 0.4     |
| 2 days | N/A     | 1.1     | 1.1                   | 1.2     | 1.2     |
| 3 days | N/A     | 2.2     | 2.2                   | 4.1     | 3.1     |
| 4 days | N/A     | 6.4     | 6.4                   | 5.2     | 5.8     |
| 5 days | N/A     | 10.6    | 10.6                  | 15.6    | 13.1    |
| 6 days | N/A     | 3.3     | 3.3                   | 5.8     | 4.6     |
| 7 days | N/A     | 75.8    | 75.8                  | 67.7    | 71.8    |

**NP19** - On an average day, about how many hours does your child usually watch TV, videos or movies? (n = 653)

|                 | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------------|---------|---------|-----------------------|---------|---------|
| None            | 59.2    | 12.3    | 35.6                  | 7.4     | 26.2    |
| 1 hour          | 25.0    | 39.6    | 32.4                  | 44.0    | 36.2    |
| 2 hours         | 11.0    | 35.0    | 23.0                  | 35.0    | 27.0    |
| 3 hours         | 1.6     | 8.7     | 5.2                   | 10.0    | 6.8     |
| 4 hours         | 0.7     | 1.5     | 1.1                   | 2.1     | 1.4     |
| 5 or more hours | 1.6     | 2.0     | 1.8                   | 1.6     | 1.7     |
| Don't own a TV  | 0.9     | 1.0     | 0.9                   | 0.0     | 0.6     |

**NP20** - On an average day, about how many hours does your child use a computer or play video games for school, work or play? [Age 1+] (n = 543)

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| None                 | 97.5    | 87.9    | 91.1                  | 59.9    | 78.7    |
| 1 hour               | 0.7     | 10.2    | 7.0                   | 33.3    | 17.5    |
| 2 hours              | 1.8     | 0.4     | 0.9                   | 5.9     | 2.9     |
| 3 hours              | 0.0     | 0.5     | 0.3                   | .0      | 0.2     |
| 4 hours              | 0.0     | 0.0     | 0.0                   | 0.3     | 0.1     |
| 5 or more hours      | 0.0     | 0.0     | 0.0                   | 0.2     | 0.1     |
| Don't own a TV or PC | 0.0     | 1.0     | 0.7                   | 0.5     | 0.6     |

## SECTION 11. PARENT HEALTH STATUS AND FAMILY

**PH** - Parent's mental health status (n = 658)

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| Poor mental health   | 9.4     | 8.9     | 9.1                   | 7.5     | 8.6     |
| Normal mental health | 90.6    | 91.1    | 90.9                  | 92.5    | 91.4    |

**PH1** - During the last 4 weeks, how often have you been a very nervous person? (n = 659)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 0.6     | 0.8     | 0.7                   | 1.3     | 0.9     |
| Most of the time | 2.5     | 4.9     | 3.7                   | 2.1     | 3.2     |
| Some of the time | 43.7    | 32.3    | 38.0                  | 40.6    | 38.8    |
| None of the time | 53.2    | 62.0    | 57.6                  | 56.1    | 57.1    |

**PH2** - During the last 4 weeks, how often have you felt so down in the dumps that nothing could cheer you up? (n = 660)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 0.0     | 0.6     | 0.3                   | 0.2     | 0.3     |
| Most of the time | 0.6     | 1.1     | 0.8                   | 0.5     | 0.7     |
| Some of the time | 18.9    | 18.3    | 18.6                  | 19.0    | 18.8    |
| None of the time | 80.5    | 80.0    | 80.2                  | 80.3    | 80.2    |

**PH3** - During the last 4 weeks, how often have you felt calm and peaceful? (n = 659)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 10.4    | 10.2    | 10.3                  | 5.5     | 8.7     |
| Most of the time | 58.8    | 53.4    | 56.1                  | 55.0    | 55.7    |
| Some of the time | 27.5    | 32.9    | 30.2                  | 34.7    | 31.7    |
| None of the time | 3.4     | 3.6     | 3.5                   | 4.8     | 3.9     |

**PH4** - During the last 4 weeks, how often have you felt downhearted and blue? (n = 660)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | .0      | 1.4     | .7                    | .0      | .5      |
| Most of the time | 3.7     | 2.1     | 2.9                   | .8      | 2.2     |
| Some of the time | 44.0    | 37.0    | 40.5                  | 33.1    | 38.1    |
| None of the time | 52.3    | 59.4    | 55.9                  | 66.1    | 59.3    |

**PH5** - During the last 4 weeks, how often have you been a happy person? (n = 658)

|                  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|------------------|---------|---------|-----------------------|---------|---------|
| All of the time  | 10.5    | 15.5    | 13.0                  | 12.2    | 12.7    |
| Most of the time | 73.3    | 69.8    | 71.6                  | 69.7    | 71.0    |
| Some of the time | 15.6    | 12.8    | 14.2                  | 18.1    | 15.5    |
| None of the time | .6      | 1.9     | 1.2                   | .0      | .8      |

**PH6 - Are you currently...? [Marital Status] (n = 659)**

|                                 | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---------------------------------|---------|---------|-----------------------|---------|---------|
| Married                         | 86.2    | 84.9    | 85.5                  | 86.2    | 85.8    |
| Divorced                        | 3.2     | 3.8     | 3.5                   | 5.3     | 4.1     |
| Widowed                         | 0.0     | 0.4     | 0.2                   | 0.6     | 0.3     |
| Separated                       | 2.5     | 3.2     | 2.8                   | 1.0     | 2.2     |
| Never married                   | 8.2     | 7.7     | 8.0                   | 6.9     | 7.6     |
| In a marriage-like relationship | 37.9    | 33.5    | 35.6                  | 41.8    | 37.6    |

**PH7 - How would you rate the overall quality of your relationship with your spouse/partner? [Asked if married or living with partner] (n = 589)**

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| Excellent | 36.0    | 35.3    | 35.7                  | 37.8    | 36.4    |
| Very good | 45.1    | 44.8    | 44.9                  | 46.9    | 45.6    |
| Good      | 16.4    | 14.7    | 15.6                  | 13.1    | 14.7    |
| Fair      | 1.7     | 4.8     | 3.2                   | 1.1     | 2.5     |
| Poor      | 0.8     | 0.4     | 0.6                   | 1.1     | 0.8     |

**SECTION 12. SMOKING, DRUGS, ALCOHOL, AND GAMBLING**

**SM1 - In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of cigarettes? (n = 660)**

|                    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------|---------|---------|-----------------------|---------|---------|
| A big problem      | 3.1     | 0.4     | 1.7                   | 0.2     | 1.2     |
| A moderate problem | 0.2     | 2.4     | 1.3                   | 0.8     | 1.1     |
| A small problem    | 4.1     | 7.0     | 5.5                   | 5.9     | 5.7     |
| Not a problem      | 92.6    | 90.2    | 91.4                  | 93.1    | 92.0    |

**SM2** - In the last 12 months, how much of a problem for your household, if any, has been caused by a household members use of either prescription or illegal drugs? (n = 660)

|                    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------|---------|---------|-----------------------|---------|---------|
| A big problem      | 0.0     | 0.2     | 0.1                   | 0.0     | 0.1     |
| A moderate problem | 0.0     | 0.2     | 0.1                   | 0.0     | 0.1     |
| A small problem    | 0.6     | 0.4     | 0.5                   | 0.2     | 0.4     |
| Not a problem      | 99.4    | 99.2    | 99.3                  | 99.8    | 99.5    |

**SM3** - Was the drug problem related to prescription drugs, illegal drugs or both? (n = 4)

|                                     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-------------------------------------|---------|---------|-----------------------|---------|---------|
| Prescription drugs                  | 0.0     | 64.6    | 32.0                  | 100.0   | 42.2    |
| Illegal drugs                       | 100.0   | 35.4    | 68.0                  | 0.0     | 57.8    |
| Both prescription and illegal drugs | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |

**SM4** - In the last 12 months, how much of a problem for your household, if any, has been caused by a household members use of alcohol? (n = 660)

|                    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------|---------|---------|-----------------------|---------|---------|
| A big problem      | 0.8     | 0.4     | 0.6                   | 0.5     | 0.6     |
| A moderate problem | 0.3     | 0.9     | 0.6                   | 2.2     | 1.1     |
| A small problem    | 5.6     | 4.7     | 5.1                   | 2.4     | 4.2     |
| Not a problem      | 93.4    | 94.0    | 93.7                  | 94.9    | 94.1    |

**SM5** - In the last 12 months, how much of a problem for your household, if any, has been caused by gambling in your household? (n = 659)

|                    | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--------------------|---------|---------|-----------------------|---------|---------|
| A big problem      | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| A moderate problem | 0.0     | 0.0     | 0.0                   | 0.0     | 0.0     |
| A small problem    | 0.7     | 1.0     | 0.9                   | 0.3     | 0.7     |
| Not a problem      | 99.3    | 99.0    | 99.1                  | 99.7    | 99.3    |

## SECTION 13. DEMOGRAPHICS

**DM1** - Is your child of Spanish or Hispanic origin? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 9.4     | 7.0     | 8.2                   | 6.7     | 7.7     |
| No  | 90.6    | 93.0    | 91.8                  | 93.3    | 92.3    |

**DM2** - What is your child's race? (n = 660)

|   | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|---|---------|---------|-----------------------|---------|---------|
| African-American                                      | 7.0     | 3.7     | 5.3                   | 3.5     | 4.7     |
| White   | 90.9    | 93.2    | 92.1                  | 95.7    | 93.3    |
| American-Indian/Native<br>American/Aleutian or Eskimo | 0.8     | 0.0     | 0.4                   | 0.7     | 0.5     |
| Asian/Pacific Islander                                | 0.5     | 1.1     | 0.8                   | 3.1     | 1.5     |
| Other   | 5.4     | 5.6     | 5.5                   | 3.8     | 4.9     |
| Don't know  | 0.0     | 0.4     | 0.2                   | 0.8     | 0.4     |
| Prefer not to answer                                  | 0.0     | 0.7     | 0.3                   | 0.0     | 0.2     |

**DM3** - Are you of Spanish or Hispanic origin? (n = 660)

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 8.6     | 6.0     | 7.3                   | 5.7     | 6.8     |
| No  | 91.4    | 94.0    | 92.7                  | 94.3    | 93.2    |

**DM4 - What is your race? (n = 660)**

|   | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|---|----------------|----------------|-------------------------------|----------------|----------------|
| African-American                                      | 4.5            | 0.8            | 2.6                           | 0.2            | 1.8            |
| White   | 90.2           | 93.9           | 92.0                          | 94.1           | 92.7           |
| American-Indian/Native<br>American/Aleutian or Eskimo | 0.6            | 0.0            | 0.3                           | 0.0            | 0.2            |
| Asian/Pacific Islander                                | 0.5            | 0.5            | 0.5                           | 2.0            | 1.0            |
| Other   | 5.6            | 4.1            | 4.8                           | 3.9            | 4.5            |
| Prefer not to answer                                  | 0.0            | 1.1            | 0.5                           | 0.6            | 0.5            |

**DM5 - Are you male or female? (n = 660)**

|        | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|--------|----------------|----------------|-------------------------------|----------------|----------------|
| Male   | 12.7           | 16.9           | 14.8                          | 12.7           | 14.1           |
| Female | 87.3           | 83.1           | 85.2                          | 87.3           | 85.9           |

**DM6 - What is your age? (n = 658)**

|             | <b>Age 0-1</b> | <b>Age 2-3</b> | <b>Subtotal<br/>(Age 0-3)</b> | <b>Age 4-5</b> | <b>Total %</b> |
|-------------|----------------|----------------|-------------------------------|----------------|----------------|
| 18-24       | 6.4            | 5.7            | 6.1                           | 2.8            | 4.9            |
| 25-44       | 89.2           | 88.4           | 88.7                          | 89.1           | 88.7           |
| 45-64       | 4.9            | 4.9            | 4.8                           | 7.4            | 5.8            |
| 65 or older | 0.0            | 1.1            | 0.5                           | 0.7            | 0.6            |

**DM7 - What is the highest grade or level of school that you have completed? (n = 659)**

|  | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|--|---------|---------|-----------------------|---------|---------|
| 8 <sup>th</sup> grade or less          | .7      | 2.6     | 1.7                   | .6      | 1.3     |
| Some high school, but did not graduate | 3.4     | 4.7     | 4.0                   | 1.4     | 3.1     |
| High school graduate or GED            | 12.4    | 12.8    | 12.6                  | 12.9    | 12.7    |
| Some college or 2-year degree          | 29.6    | 33.0    | 31.3                  | 37.8    | 33.5    |
| 4-year college graduate                | 39.7    | 31.7    | 35.7                  | 27.9    | 33.1    |
| More than 4-year college degree        | 14.2    | 15.2    | 14.7                  | 19.4    | 16.3    |

**DM8 - Including yourself, how many adults (age 18 and over) live in your household? (n = 660)**

|           | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----------|---------|---------|-----------------------|---------|---------|
| 1         | 4.4     | 6.5     | 5.5                   | 5.8     | 5.6     |
| 2         | 84.5    | 83.7    | 84.1                  | 87.1    | 85.1    |
| 3         | 7.2     | 6.1     | 6.6                   | 5.8     | 6.4     |
| 4         | 1.6     | 2.2     | 1.9                   | 1.3     | 1.7     |
| 5         | 2.3     | 0.4     | 1.4                   | 0.0     | 0.9     |
| 6 or more | 0.0     | 1.2     | 0.5                   | 0.0     | 0.4     |

**DM9 - Is your spouse/partner your child's biological or adoptive parent? [Asked if married or living with partner] (n = 424)**

|     | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|-----------------------|---------|---------|
| Yes | 99.6    | 97.1    | 98.3                  | 96.9    | 97.8    |
| No  | 0.4     | 2.9     | 1.7                   | 3.1     | 2.2     |

**DM10** - What was the total combined income over the past year for all persons in your household? (n = 580)

|                      | Age 0-1 | Age 2-3 | Subtotal<br>(Age 0-3) | Age 4-5 | Total % |
|----------------------|---------|---------|-----------------------|---------|---------|
| \$0 to \$5,000       | 1.5     | 1.0     | 1.2                   | 0.9     | 1.1     |
| \$5,001 to \$10,000  | 1.7     | 0.5     | 1.1                   | 0.0     | 0.7     |
| \$10,001 to \$15,000 | 0.6     | 2.4     | 1.5                   | 2.0     | 1.7     |
| \$15,001 to \$20,000 | 4.2     | 4.2     | 4.2                   | 1.3     | 3.2     |
| \$20,001 to \$25,000 | 2.6     | 3.7     | 3.1                   | 5.9     | 4.1     |
| \$25,001 to \$30,000 | 5.7     | 2.7     | 4.2                   | 3.0     | 3.8     |
| \$30,001 to \$35,000 | 2.3     | 7.2     | 4.8                   | 3.1     | 4.2     |
| \$35,001 to \$40,000 | 6.6     | 5.8     | 6.2                   | 5.0     | 5.8     |
| \$40,001 to \$45,000 | 3.6     | 5.2     | 4.4                   | 3.5     | 4.1     |
| \$45,001 to \$50,000 | 9.9     | 3.3     | 6.6                   | 7.3     | 6.8     |
| \$50,001 to \$55,000 | 8.5     | 4.9     | 6.7                   | 4.6     | 6.0     |
| \$55,001 to \$60,000 | 7.2     | 5.0     | 6.1                   | 3.1     | 5.0     |
| \$60,001 to \$65,000 | 5.5     | 4.9     | 5.2                   | 4.8     | 5.1     |
| \$65,001 to \$70,000 | 6.4     | 3.0     | 4.7                   | 5.9     | 5.2     |
| \$70,001 to \$75,000 | 5.2     | 10.3    | 7.8                   | 8.9     | 8.2     |
| \$75,001 to \$80,000 | 4.0     | 4.5     | 4.2                   | 5.4     | 4.6     |
| More than \$80,000   | 24.5    | 31.4    | 27.9                  | 35.2    | 30.5    |

## Appendix 2: Data tables by INCOME CATEGORY

### Iowa Child and Family Household Health Survey

|   |    |
|---|----|
| SECTION 1. FUNCTIONAL HEALTH STATUS               | 2  |
| SECTION 2. INSURANCE COVERAGE                     | 6  |
| SECTION 3. ACCESS/NEED                            | 9  |
| SECTION 3A. MEDICAL HOME                          | 16 |
| SECTION 3B. PRESCRIPTION MEDICINE                 | 21 |
| SECTION 3C. DENTAL CARE                           | 23 |
| SECTION 3D. BEHAVIORAL AND EMOTIONAL HEALTH CARE  | 27 |
| SECTION 5. EARLY CHILDHOOD                        | 28 |
| SECTION 6. CHILD CARE                             | 32 |
| SECTION 7. SCHOOL                                 | 34 |
| SECTION 8. SOCIAL DETERMINANTS OF HEALTH          | 35 |
| SECTION 9. NUTRITION                              | 39 |
| SECTION 10. CHILD HEALTH – PHYSICAL ACTIVITY      | 45 |
| SECTION 11. PARENT HEALTH STATUS AND FAMILY       | 46 |
| SECTION 12. SMOKING, DRUGS, ALCOHOL, AND GAMBLING | 48 |
| SECTION 13. DEMOGRAPHICS                          | 49 |

## SECTION 1. FUNCTIONAL HEALTH STATUS

**HS1** - In general, how would you rate your child's overall health now? (n = 660)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Excellent | 55.8      | 62.8         | 71.8      | 68.3    |
| Very good | 19.5      | 29.7         | 23.3      | 24.0    |
| Good      | 20.8      | 5.2          | 4.0       | 6.3     |
| Fair      | 1.9       | 1.3          | 0.5       | 0.8     |
| Poor      | 2.0       | 0.9          | 0.3       | 0.6     |

**HS** - Children with Special Health Care Need (n = 660)

|             | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------|-----------|--------------|-----------|---------|
| Yes – CSHCN | 80.0      | 90.0         | 91.8      | 90.0    |
| No – CSHCN  | 20.0      | 10.0         | 8.2       | 10.0    |

**HS2** - Does your child currently need or use medicine prescribed by a doctor other than vitamins? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 17.9      | 10.2         | 11.9      | 12.3    |
| No  | 82.1      | 89.8         | 88.1      | 87.7    |

**HS2A** - Is this because of any medical, behavioral or other health condition? (n = 85)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 92.6      | 95.4         | 84.3      | 87.4    |
| No  | 7.4       | 4.6          | 15.7      | 12.6    |

**HS2B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 66)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 95.2      | 95.2         | 61.6      | 73.3    |
| No  | 4.8       | 4.8          | 38.4      | 26.7    |

**HS3** - Does your child need or use more medical care, mental health or educational services than is usual for most children of the same age? (n = 655)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 12.5      | 6.8          | 4.9       | 6.1     |
| No  | 87.5      | 93.2         | 95.1      | 93.9    |

**HS3A** - Is this because of any medical, behavioral or other health condition? (n = 36)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 75.0      | 34.7         | 89.8      | 75.6    |
| No  | 25.0      | 65.3         | 10.2      | 24.4    |

**HS3B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 25)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 100.0        | 83.4      | 87.6    |
| No  | 0.0       | 0.0          | 16.6      | 12.4    |

**HS4** - Is your child limited or prevented in any way in his or her ability to do the things most children of the same age can do? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 2.7       | 3.2          | 3.0       | 3.0     |
| No  | 97.3      | 96.8         | 97.0      | 97.0    |

**HS4A** - Is this because of any medical, behavioral or other health condition? (n = 19)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 22.7      | 41.6         | 76.6      | 62.2    |
| No  | 77.3      | 58.4         | 23.4      | 37.8    |

**HS4B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 13)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 100.0        | 82.0      | 85.4    |
| No  | 0.0       | 0.0          | 18.0      | 14.6    |

**HS5** - Does your child need or get special therapy, such as physical, occupational or speech therapy? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 7.5       | 8.0          | 4.3       | 5.3     |
| No  | 92.5      | 92.0         | 95.7      | 94.7    |

**HS5A** - Is this because of any medical, behavioral or other health condition? (n = 32)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 66.4      | 16.9         | 32.2      | 34.2    |
| No  | 33.6      | 83.1         | 67.8      | 65.8    |

**HS5B** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 12)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 100.0        | 61.7      | 80.5    |
| No  | 0.0       | 0.0          | 38.3      | 19.5    |

**HS6** - Does your child have any kind of emotional, developmental or behavioral problem for which he or she needs or gets treatment or counseling? (n = 659)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 1.3       | 1.7          | 1.6       | 1.6     |
| No  | 98.7      | 98.3         | 98.4      | 98.4    |

**HS6A** - Is this a condition that has lasted or is expected to last for at least 12 months? (n = 647)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 100.0        | 100.0     | 100.0   |
| No  | 0.0       | 0.0          | 0.0       | 0.0     |

**HS7** - Has your child been diagnosed with a chronic condition or disease that has lasted or is expected to last for at least 12 months? (n = 64)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 50.1      | 36.8         | 61.7      | 54.5    |
| No  | 49.9      | 63.2         | 38.3      | 45.5    |

**HS8** - What is your child's primary chronic condition or diagnosis? (n = 20)

|  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--|-----------|--------------|-----------|---------|
| ADD/ADHD                                   | 0.0       | 0.0          | 2.3       | 1.5     |
| Asthma                                     | 73.6      | 26.3         | 29.2      | 38.9    |
| Autism                                     | 0.0       | 0.0          | 0.0       | 0.0     |
| Depression, anxiety, or emotional problems | 0.0       | 0.0          | 0.0       | 0.0     |
| Mental Retardation                         | 0.0       | 0.0          | 3.7       | 2.4     |
| Other                                      | 26.4      | 73.7         | 64.8      | 57.1    |

**HS9** - How would you rank the severity of your child's condition, compared to other children with the same condition? (n = 31)

|    | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----|-----------|--------------|-----------|---------|
| 0  | 0.0       | 0.0          | 11.6      | 7.7     |
| 1  | 0.0       | 0.0          | 5.5       | 3.7     |
| 2  | 0.0       | 0.0          | 22.8      | 15.2    |
| 3  | 0.0       | 29.0         | 14.0      | 12.9    |
| 4  | 8.5       | 0.0          | 17.6      | 13.5    |
| 5  | 66.8      | 71.0         | 13.7      | 32.0    |
| 6  | 0.0       | 0.0          | 9.1       | 6.1     |
| 7  | 0.0       | 0.0          | 0.0       | 0.0     |
| 8  | 24.7      | 0.0          | 5.7       | 9.1     |
| 9  | 0.0       | 0.0          | 0.0       | 0.0     |
| 10 | 0.0       | 0.0          | 0.0       | 0.0     |

## SECTION 2. INSURANCE COVERAGE

**IC1** - Do you or someone else have any kind of health care coverage for your child, including health insurance, prepaid plans (e.g. HMOs), or government plans (e.g. Medicaid or Title 19)? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 95.7      | 96.8         | 99.2      | 98.4    |
| No  | 4.3       | 3.2          | 0.8       | 1.6     |

**IC2** - What type of health care coverage do you use to pay for most of your child's medical care? (n = 648)

|                                   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------------------------------|-----------|--------------|-----------|---------|
| Private insurance                 | 11.9      | 51.5         | 92.0      | 75.4    |
| The <i>HAWK-I</i> program (SCHIP) | 2.5       | 5.3          | 2.2       | 2.8     |
| Medicaid or Title 19              | 85.6      | 43.2         | 5.8       | 21.8    |
| Some other source                 | 0.0       | 0.0          | 0.1       | 0.1     |

**IC3 - Thinking about how well that health insurance coverage meets your child's health care needs, would you say that the health insurance is...? (n = 641)**

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Excellent | 51.9      | 44.8         | 42.9      | 44.3    |
| Very good | 24.6      | 26.2         | 38.6      | 34.8    |
| Good      | 10.9      | 26.7         | 16.4      | 17.5    |
| Fair      | 12.6      | 1.8          | 1.6       | 2.9     |
| Poor      | 0.0       | 0.5          | 0.5       | 0.5     |

**IC4 - During the last 12 months, how much of a problem, if any, have your child's health care costs that were not covered by insurance been for your family? (n = 645)**

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| Big problem      | 2.8       | 2.9          | 1.0       | 1.5     |
| Moderate problem | 0.0       | 4.6          | 8.8       | 7.0     |
| Small problem    | 13.0      | 23.5         | 13.5      | 15.2    |
| Not a problem    | 84.2      | 69.1         | 76.8      | 76.3    |

**IC5 - During the last 12 months, has there been any time when you delayed getting needed health care for your child because of the costs, (including waiting to go to doctor, filling prescriptions, etc.)? (n = 660)**

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 5.2       | 6.4          | 4.1       | 4.6     |
| No  | 94.8      | 93.6         | 95.9      | 95.4    |

**IC6 - During the last 12 months, how much, if at all, have you worried about your ability to pay for your child's health care? (n = 660)**

|              | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--------------|-----------|--------------|-----------|---------|
| A great deal | 7.2       | 4.8          | 1.5       | 2.8     |
| Somewhat     | 0.7       | 9.2          | 6.0       | 5.9     |
| A little     | 16.3      | 17.9         | 18.1      | 17.8    |
| Not a lot    | 75.8      | 68.1         | 74.4      | 73.5    |

**IC7** - During the last 12 months, has there been any time that your child has not had any health insurance? (n = 647)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 7.7       | 2.9          | 0.9       | 2.0     |
| No  | 92.3      | 97.1         | 99.1      | 98.0    |

**IC8** - For how many months, during the last 12 months, was your child without any health insurance? (n = 123)

|                               | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------------------------|-----------|--------------|-----------|---------|
| 0-1 month                     | 53.9      | 18.6         | 60.8      | 45.9    |
| 2-6 months                    | 34.2      | 24.5         | 19.2      | 27.6    |
| 7-12 months                   | 0.0       | 33.9         | 20.0      | 16.2    |
| More than 12 months           | 11.9      | 19.0         | 0.0       | 10.2    |
| Child has never had insurance | 0.0       | 0.0          | 0.0       | 0.0     |

**IC10** - Has your child ever received health care coverage through Medicaid or Title 19 program? (n = 515)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 70.6      | 19.4         | 7.0       | 10.4    |
| No  | 29.4      | 80.6         | 93.0      | 89.6    |

**IC11** - Has your child ever received health care coverage through Iowa's Child Health Insurance Program, called Hawk-i? (n = 632)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 2.8       | 5.3          | 1.7       | 2.4     |
| No  | 97.2      | 94.7         | 98.3      | 97.6    |

**IC12** - How important is it to you for your child to have health insurance coverage? (n = 659)

|                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------|-----------|--------------|-----------|---------|
| Very important       | 98.6      | 96.4         | 98.9      | 98.4    |
| Moderately important | 1.4       | 3.6          | 0.7       | 1.3     |
| Somewhat important   | 0.0       | 0.0          | 0.5       | 0.3     |
| Not very important   | 0.0       | 0.0          | 0.0       | 0.0     |

**IC13** - Do you have any kind of health care coverage for yourself, including health insurance, prepaid plans (e.g. HMOs), or government plans (e.g. Medicaid or Title 19)? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 53.7      | 79.5         | 97.8      | 89.2    |
| No  | 46.3      | 20.5         | 2.2       | 10.8    |

**IC17** - How important is it to you that you have health insurance coverage for yourself? (n = 658)

|                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------|-----------|--------------|-----------|---------|
| Very important       | 70.3      | 76.3         | 91.3      | 86.2    |
| Moderately important | 14.0      | 17.9         | 5.6       | 8.7     |
| Somewhat important   | 10.8      | 4.5          | 2.9       | 4.1     |
| Not very important   | 4.9       | 1.2          | 0.2       | 1.0     |

### **SECTION 3. ACCESS/NEED**

**AN1** - During the last 12 months, was there any time when you or a health professional thought your child needed medical care of any kind? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 47.6      | 57.9         | 60.0      | 58.1    |
| No  | 52.4      | 42.1         | 40.0      | 41.9    |

**AN2** - During the last 12 months, was there any time when your child needed medical care but could not get it for any reason? (n = 387)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 6.2       | 5.9          | 1.2       | 2.5     |
| No  | 93.8      | 94.1         | 98.8      | 97.5    |

**AN3** - What was the main reason your child could not get needed medical care? (n = 7)

|  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--|-----------|--------------|-----------|---------|
| Could not afford the care or have no insurance               | 0.0       | 66.7         | 0.0       | 29.5    |
| Insurance / HMO coverage was inadequate                      | 100.0     | 0.0          | 17.0      | 25.8    |
| Trouble getting an appointment                               | 0.0       | 0.0          | 0.0       | 0.0     |
| Distance or transportation problems                          | 0.0       | 0.0          | 0.0       | 0.0     |
| Not comfortable with providers available at the time         | 0.0       | 0.0          | 0.0       | 0.0     |
| Available providers did not have expertise child needed      | 0.0       | 0.0          | 0.0       | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0       | 0.0          | 0.0       | 0.0     |
| Did not know where to go at night or on weekend              | 0.0       | 0.0          | 0.0       | 0.0     |
| Could not get off work                                       | 0.0       | 0.0          | 0.0       | 0.0     |
| Language or communication problems                           | 0.0       | 0.0          | 0.0       | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0       | 0.0          | 0.0       | 0.0     |
| Child was too afraid to go                                   | 0.0       | 0.0          | 0.0       | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0       | 0.0          | 0.0       | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0       | 0.0          | 0.0       | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0       | 0.0          | 0.0       | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0       | 0.0          | 0.0       | 0.0     |
| Other  | 0.0       | 33.3         | 83.0      | 44.6    |

**AN4** - During the last 12 months, when your child needed care right away for an illness or injury, how often did your child get care as soon as you wanted? (n = 388)

|                           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------------|-----------|--------------|-----------|---------|
| Never                     | 0.0       | 0.0          | 0.2       | 0.2     |
| Sometimes                 | 0.0       | 1.9          | 2.2       | 1.9     |
| Usually                   | 19.7      | 8.9          | 8.1       | 9.4     |
| Always                    | 80.3      | 83.3         | 86.4      | 85.2    |
| No care needed right away | 0.0       | 5.9          | 3.1       | 3.3     |

**AN5** - During the last 12 months, was there any time when you or a health professional thought your child needed care from a specialist? (n = 388)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 47.6      | 26.5         | 35.3      | 35.0    |
| No  | 52.4      | 73.5         | 64.7      | 65.0    |

**AN6** - During the last 12 months, was there any time when your child needed specialty care but could not get it for any reason? (n = 140)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 3.3       | 14.9         | 3.3       | 4.8     |
| No  | 96.7      | 85.1         | 96.7      | 95.2    |

**AN7** - During the last 12 months, how much of a problem, if any, was it to get the care your child needed from a specialist? (n = 140)

|               | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------|-----------|--------------|-----------|---------|
| Big problem   | 0.0       | 0.0          | 3.0       | 2.2     |
| Small problem | 3.0       | 7.4          | 8.1       | 7.3     |
| Not a problem | 97.0      | 92.6         | 88.9      | 90.5    |

**AN8** - During the last 12 months, how many times did your child go to a hospital emergency room? (n = 387)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| None             | 67.7      | 74.1         | 69.5      | 70.2    |
| 1 time           | 11.9      | 16.3         | 20.5      | 18.9    |
| 2 to 4 times     | 15.9      | 9.6          | 9.0       | 9.8     |
| 5 to 9 times     | 4.5       | 0.0          | 1.0       | 1.1     |
| 10 or more times | 0.0       | 0.0          | 0.0       | 0.0     |

**AN9** - What was the main reason for this visit to the ER? [Thinking about last ER visit] (n = 122)

|                                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------------------|-----------|--------------|-----------|---------|
| Trauma / broken bones / stitches | 24.7      | 44.0         | 29.6      | 31.3    |
| Cold / flu                       | 0.0       | 0.0          | 8.7       | 6.5     |
| Ear infection                    | 0.0       | 15.5         | 7.3       | 7.8     |
| High fever only                  | 29.9      | 19.5         | 8.6       | 12.5    |
| Trouble breathing (asthma)       | 0.0       | 0.0          | 9.6       | 7.1     |
| Severe cough / croup only        | 0.0       | 6.5          | 2.8       | 3.1     |
| Rash                             | 0.0       | 0.0          | 1.7       | 1.3     |
| Other                            | 45.4      | 14.5         | 31.6      | 30.4    |

**AN10** - Did a doctor, nurse, or emergency personnel tell you to go to the ER for this care? [Thinking about last ER visit] (n = 123)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 20.4      | 27.8         | 44.7      | 39.6    |
| No  | 79.6      | 72.2         | 55.3      | 60.4    |

**AN11 - Do you think this care could have been provided by a doctor's office or clinic if one had been available? [Thinking about last ER visit] (n = 120)**

|     | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|-----|---------------------|---------------------|---------------------|----------------|
| Yes | 87.7                | 82.2                | 68.4                | 72.5           |
| No  | 12.3                | 17.8                | 31.6                | 27.5           |

**AN12 - What was the main reason you did not go to a doctor's office or clinic for this care? [Thinking about last ER visit] (n = 86)**

|  | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|--|---------------------|---------------------|---------------------|----------------|
| Could not afford the care or have no insurance               | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Insurance / HMO coverage was inadequate                      | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Trouble getting an appointment                               | 0.0                 | 4.9                 | 0.0                 | 0.8            |
| Distance or transportation problems                          | 9.5                 | 0.0                 | 0.0                 | 1.2            |
| Not comfortable with providers available at the time         | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Available providers did not have expertise child needed      | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Inconvenient hours, not open when care needed                | 53.7                | 95.1                | 81.7                | 80.4           |
| Did not know where to go at night or on weekend              | 36.8                | 0.0                 | 13.8                | 14.4           |
| Could not get off work                                       | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Language or communication problems                           | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Bad past experience or heard about bad experiences           | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Child was too afraid to go                                   | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Family not comfortable seeking care for specific problem     | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Doctor / Nurse sent me to the ER                             | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Doctor wouldn't prescribe the medicine child needed          | 0.0                 | 0.0                 | 0.0                 | 0.0            |
| Other  | 0.0                 | 0.0                 | 4.5                 | 3.2            |

**AN13** - During the last 12 months, not counting times went to emergency room, how many times did your child go to the doctor's office or clinic, including all types of visits? (n = 387)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| None             | 1.4       | 0.0          | 0.0       | 0.1     |
| 1 time           | 4.6       | 16.1         | 2.9       | 5.4     |
| 2 to 4 times     | 27.6      | 51.5         | 46.9      | 45.8    |
| 5 to 9 times     | 31.6      | 22.2         | 36.9      | 33.8    |
| 10 or more times | 34.8      | 10.2         | 13.3      | 14.9    |

**AN14A** - During the last 12 months, has your child's health care professional encouraged you to take any type of preventive health steps for your child (e.g. watching what he/she eats or using car seats)? [Age < 3] (n = 189)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 50.0      | 71.2         | 72.6      | 70.5    |
| No  | 50.0      | 28.8         | 27.4      | 29.5    |

**AN14B** - In the last 12 months, has your child's health care professional encouraged you to take any type of preventive health steps for your child (e.g. watching what he/she eats or using bicycle helmets or seat belts)? [Age 3-5] (n = 196)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 61.5      | 72.8         | 62.9      | 64.4    |
| No  | 38.5      | 27.2         | 37.1      | 35.6    |

**AN15** - When was your child's last visit for routine preventive care such as a check-up or vaccination shots? (n = 386)

|                         | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------------------|-----------|--------------|-----------|---------|
| Less than 12 months ago | 97.1      | 96.7         | 96.2      | 96.4    |
| 1-2 years ago           | 2.9       | 3.3          | 3.4       | 3.3     |
| More than 2 years ago   | 0.0       | 0.0          | 0.0       | 0.0     |
| Never                   | 0.0       | 0.0          | 0.5       | 0.3     |

**AN16 - During the last 12 months, was there any time when your child needed routine preventive care but could not get it for any reason? (n = 388)**

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 12.6      | 3.9          | 1.0       | 2.6     |
| No  | 87.4      | 96.1         | 99.0      | 97.4    |

**AN17 - What was the main reason your child could not get preventive care? (n = 5)**

|  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--|-----------|--------------|-----------|---------|
| Could not afford the care or have no insurance               | 0.0       | 100.0        | 0.0       | 26.2    |
| Insurance / HMO coverage was inadequate                      | 36.8      | 0.0          | 0.0       | 17.5    |
| Trouble getting an appointment                               | 0.0       | 0.0          | 100.0     | 26.2    |
| Distance or transportation problems                          | 0.0       | 0.0          | 0.0       | 0.0     |
| Not comfortable with providers available at the time         | 0.0       | 0.0          | 0.0       | 0.0     |
| Available providers did not have expertise child needed      | 27.5      | 0.0          | 0.0       | 13.1    |
| Inconvenient hours, not open when care needed                | 0.0       | 0.0          | 0.0       | 0.0     |
| Did not know where to go at night or on weekend              | 0.0       | 0.0          | 0.0       | 0.0     |
| Could not get off work                                       | 0.0       | 0.0          | 0.0       | 0.0     |
| Language or communication problems                           | 0.0       | 0.0          | 0.0       | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0       | 0.0          | 0.0       | 0.0     |
| Child was too afraid to go                                   | 0.0       | 0.0          | 0.0       | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0       | 0.0          | 0.0       | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0       | 0.0          | 0.0       | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0       | 0.0          | 0.0       | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0       | 0.0          | 0.0       | 0.0     |
| Other  | 35.7      | 0.0          | 0.0       | 17.0    |

## SECTION 3A. MEDICAL HOME

### MH – Medical Home Composite

|                            | <134%<br>FPL | 134-200%<br>FPL | >200% FPL | Total % |
|----------------------------|--------------|-----------------|-----------|---------|
| Has Medical Home           | 63.0         | 72.5            | 88.2      | 82.3    |
| Does not have Medical Home | 37.0         | 27.5            | 11.8      | 17.7    |

**MH1** - Do you have one or more persons you think of as your child's personal doctor or nurse?  
(n = 658)

|                           | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|---------------------------|-----------|-----------------|-----------|---------|
| Yes, one person           | 44.7      | 64.5            | 68.4      | 64.8    |
| Yes, more than one person | 41.1      | 29.2            | 28.1      | 29.9    |
| No                        | 14.2      | 6.3             | 3.5       | 5.3     |

**MH2** - During the last 12 months, how often did your child's doctors and other health care providers spend enough time with your child? [All MH Qs asked only if thought needed medical care] (n = 385)

|           | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----------|-----------|-----------------|-----------|---------|
| Never     | 0.0       | 1.7             | 0.0       | 0.3     |
| Sometimes | 15.2      | 5.7             | 4.6       | 5.8     |
| Usually   | 24.8      | 19.3            | 25.1      | 24.1    |
| Always    | 60.0      | 73.4            | 70.3      | 69.8    |

**MH3** - During the last 12 months, how often did your child's doctors and other health care providers listen to you? (n = 387)

|           | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----------|-----------|-----------------|-----------|---------|
| Never     | 0.0       | 0.0             | 0.3       | 0.2     |
| Sometimes | 25.8      | 10.4            | 2.7       | 6.3     |
| Usually   | 20.4      | 13.9            | 23.7      | 21.6    |
| Always    | 53.9      | 75.7            | 73.4      | 71.8    |

**MH4** - During the last 12 months, how often did your child’s doctor or other health care providers help you feel like a partner in your child’s care? (n = 386)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Never     | 0.0       | 0.0          | 0.0       | 0.0     |
| Sometimes | 30.6      | 6.0          | 1.8       | 5.4     |
| Usually   | 24.7      | 15.4         | 25.2      | 23.5    |
| Always    | 44.7      | 78.5         | 73.0      | 71.1    |

**MH5** - During the last 12 months, how often did your child get an appointment for regular or routine health care as soon as you wanted? (n = 387)

|  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--|-----------|--------------|-----------|---------|
| Never                                      | 0.0       | 0.0          | 0.5       | 0.4     |
| Sometimes                                  | 16.3      | 9.6          | 4.1       | 6.3     |
| Usually                                    | 39.9      | 18.4         | 33.4      | 31.4    |
| Always                                     | 43.8      | 72.0         | 62.0      | 61.9    |
| Didn’t need appointment the last 12 months | 0.0       | 0.0          | 0.0       | 0.0     |

**MH6** - During the last 12 months, how often were you able to get all the information you wanted about your child’s health from your child’s doctor as soon as you wanted? (n = 386)

|                                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--------------------------------------|-----------|--------------|-----------|---------|
| Never                                | 0.0       | 0.0          | 0.0       | 0.0     |
| Sometimes                            | 13.4      | 12.3         | 2.8       | 5.5     |
| Usually                              | 48.1      | 20.5         | 30.3      | 30.4    |
| Always                               | 38.6      | 67.2         | 66.1      | 63.5    |
| Didn’t get info about child’s health | 0.0       | 0.0          | 0.8       | 0.6     |

**MH9** - During the last 12 months, did your child need a referral to see any doctors or receive any services? (n = 385)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 42.5      | 24.0         | 27.4      | 28.3    |
| No  | 57.5      | 76.0         | 72.6      | 71.7    |

**MH10** - Was getting a referral a big problem, small problem, or not a problem? (n = 112)

|               | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------|-----------|--------------|-----------|---------|
| Big problem   | 0.0       | 0.0          | 0.0       | 0.0     |
| Small problem | 18.2      | 20.4         | 7.3       | 10.9    |
| Not a problem | 81.8      | 79.6         | 92.7      | 89.1    |

**MH11** - Is there a place that your child usually goes when your child is sick or you need advice about your child's health? (n = 388)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 97.4         | 99.5      | 99.2    |
| No  | 0.0       | 2.6          | 0.5       | 0.8     |

**MH12** - What kind of place it is? (n = 382)

|   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---|-----------|--------------|-----------|---------|
| Doctor's office                           | 66.9      | 65.3         | 72.9      | 71.0    |
| Hospital emergency room                   | 0.0       | 0.0          | 0.0       | 0.0     |
| Hospital outpatient clinic                | 4.8       | 2.4          | 1.4       | 1.9     |
| Clinic or health center                   | 23.6      | 32.3         | 24.6      | 25.9    |
| School (nurse's office, athletic trainer) | 0.0       | 0.0          | 0.0       | 0.0     |
| Friend/relative                           | 0.0       | 0.0          | 0.4       | 0.3     |
| Mexico/other location out of U.S.         | 0.0       | 0.0          | 0.0       | 0.0     |
| Some other place                          | 4.6       | 0.0          | 0.7       | 0.9     |
| Does not go to one place most often       | 0.0       | 0.0          | 0.0       | 0.0     |

**MH13** - Is there a place that your child usually goes when needs routine preventive care (e.g. physical examination or well-child check-up)? (n = 388)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 99.1         | 99.3      | 99.3    |
| No  | 0.0       | 0.9          | 0.7       | 0.7     |

**MH14** - Does your child usually go to the same place for routine preventive care as goes to when is sick? (n = 382)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 97.0      | 100.0        | 98.0      | 98.2    |
| No  | 3.0       | 0.0          | 2.0       | 1.8     |

**MH15** - What kind of place does your child usually go to when needs routine preventive care? [Asked if goes to different place] (n = 12)

|   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---|-----------|--------------|-----------|---------|
| Doctor's office                           | 0.0       | 0.0          | 60.6      | 44.7    |
| Hospital emergency room                   | 0.0       | 0.0          | 0.0       | 0.0     |
| Hospital outpatient clinic                | 0.0       | 0.0          | 0.0       | 0.0     |
| Clinic or health center                   | 100.0     | 100.0        | 24.7      | 44.5    |
| School (nurse's office, athletic trainer) | 0.0       | 0.0          | 0.0       | 0.0     |
| Friend/relative                           | 0.0       | 0.0          | 0.0       | 0.0     |
| Mexico/other location out of U.S.         | 0.0       | 0.0          | 0.0       | 0.0     |
| Some other place                          | 0.0       | 0.0          | 14.7      | 10.8    |
| Does not go to one place most often       | 0.0       | 0.0          | 0.0       | 0.0     |

**MH16** - During the last 12 months, did you feel you could have used extra help arranging or coordinating care among different health care providers or services? (n = 388)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 11.4      | 19.4         | 3.5       | 7.1     |
| No  | 88.6      | 80.6         | 96.5      | 92.9    |

**MH17** - During the last 12 months, how often did you get as much help as you wanted with arranging or coordinating your child's care? (n = 28)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Never     | 0.0       | 13.3         | 7.1       | 9.0     |
| Sometimes | 43.0      | 78.3         | 32.5      | 56.6    |
| Usually   | 29.7      | 0.0          | 38.0      | 18.1    |
| Always    | 27.2      | 8.3          | 22.3      | 16.3    |

**MH18** - Do your child's doctors or other health care providers need to communicate with your child's child care or school providers? (n = 382)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 24.6      | 17.2         | 12.6      | 14.7    |
| No  | 75.4      | 82.8         | 87.4      | 85.3    |

**MH19** - Overall, are you very satisfied, somewhat satisfied, somewhat dissatisfied, or very dissatisfied with that communication? (n = 51)

|                                   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------------------------------|-----------|--------------|-----------|---------|
| Very satisfied                    | 57.1      | 86.5         | 68.8      | 70.5    |
| Somewhat satisfied                | 42.9      | 0.0          | 31.2      | 26.6    |
| Somewhat dissatisfied             | 0.0       | 13.5         | 0.0       | 2.8     |
| Very dissatisfied                 | 0.0       | 0.0          | 0.0       | 0.0     |
| No communication needed or wanted | 0.0       | 0.0          | 0.0       | 0.0     |

**MH20** - When your child is seen by doctors or other health care providers, how often are they sensitive to your family's values and customs? (n = 380)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Never     | 0.0       | 0.0          | 0.0       | 0.0     |
| Sometimes | 16.8      | 5.9          | 2.9       | 4.9     |
| Usually   | 19.7      | 15.1         | 18.6      | 18.1    |
| Always    | 63.4      | 79.0         | 78.4      | 77.0    |

**MH21** - How often has your child's race or ethnicity affected the quality of your child's health care? (n = 386)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Never     | 92.7      | 92.4         | 99.0      | 97.2    |
| Sometimes | 5.7       | 3.9          | 0.4       | 1.6     |
| Usually   | 1.5       | 0.0          | 0.6       | 0.6     |
| Always    | 0.0       | 3.6          | 0.0       | 0.6     |

### SECTION 3B. PRESCRIPTION MEDICINE

**RX1** - During the last 12 months, was there a time when you or a health care professional thought your child needed prescription medication? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 89.2      | 95.4         | 94.2      | 93.4    |
| No  | 10.8      | 4.6          | 5.8       | 6.6     |

**RX2** - During the last 12 months, was there any time when your child needed prescription medicine but could not get it for any reason? (n = 399)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 55.8      | 45.4         | 59.1      | 56.3    |
| No  | 44.2      | 54.6         | 40.9      | 43.7    |

**RX3 - What was the main reason your child could not get prescription medication? (n = 5)**

|  | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|--|--------------|-----------------|--------------|---------|
| Could not afford the care or have no insurance               | 0.0          | 0.0             | 0.0          | 0.0     |
| Insurance / HMO coverage was inadequate                      | 100.0        | 0.0             | 35.5         | 55.7    |
| Trouble getting an appointment                               | 0.0          | 0.0             | 0.0          | 0.0     |
| Distance or transportation problems                          | 0.0          | 0.0             | 0.0          | 0.0     |
| Not comfortable with providers available at the time         | 0.0          | 0.0             | 0.0          | 0.0     |
| Available providers did not have expertise child needed      | 0.0          | 0.0             | 0.0          | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0          | 0.0             | 31.5         | 21.6    |
| Did not know where to go at night or on weekend              | 0.0          | 0.0             | 0.0          | 0.0     |
| Could not get off work                                       | 0.0          | 0.0             | 0.0          | 0.0     |
| Language or communication problems                           | 0.0          | 0.0             | 0.0          | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0          | 0.0             | 0.0          | 0.0     |
| Child was too afraid to go                                   | 0.0          | 0.0             | 0.0          | 0.0     |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0          | 0.0             | 0.0          | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0          | 0.0             | 0.0          | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0          | 0.0             | 0.0          | 0.0     |
| Doctor wouldn't prescribe the medicine child needed          | 0.0          | 0.0             | 0.0          | 0.0     |
| Other  | 0.0          | 0.0             | 33.0         | 22.7    |

## SECTION 3C. DENTAL CARE

**DX1** - Does your child currently have insurance that covers dental care? (n = 650)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 93.5      | 82.7         | 76.1      | 79.4    |
| No  | 6.5       | 17.3         | 23.9      | 20.6    |

**DX2** - During the last 12 months, was there any time when you or a health professional thought your child needed dental care (including routine care/checkups)? [Age 1+] (n = 546)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 62.5      | 50.5         | 63.4      | 61.0    |
| No  | 37.5      | 49.5         | 36.6      | 39.0    |

**DX3** - What kind of dental care did you or a health professional think your child needed? (n = 300)

|  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--|-----------|--------------|-----------|---------|
| Check-up or cleaning                             | 91.0      | 95.6         | 98.7      | 97.2    |
| Emergency dental care                            | 1.3       | 1.1          | 3.2       | 2.6     |
| Other treatment such as fillings                 | 27.3      | 20.8         | 11.2      | 14.9    |
| Dental screening, sealants or fluoride treatment | 16.4      | 36.1         | 19.1      | 21.5    |
| Don't know what type of dental care was needed   | 0.0       | 0.0          | 0.0       | 0.0     |

**DX4** - In the last 12 months, was there any time when your child needed dental care but could not get it for any reason? (n = 299)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 6.1       | 1.1          | 2.1       | 2.5     |
| No  | 93.9      | 98.9         | 97.9      | 97.5    |

**DX5 - What was the main reason your child could not get dental care? (n = 10)**

|  | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|--|--------------|-----------------|--------------|---------|
| Could not afford the care or have no insurance               | 0.0          | 0.0             | 37.0         | 22.4    |
| Insurance / HMO coverage was inadequate                      | 57.2         | 0.0             | 36.2         | 40.5    |
| Trouble getting an appointment                               | 0.0          | 0.0             | 0.0          | 0.0     |
| Distance or transportation problems                          | 0.0          | 0.0             | 0.0          | 0.0     |
| Not comfortable with providers available at the time         | 0.0          | 100.0           | 0.0          | 6.9     |
| Available providers did not have expertise child needed      | 0.0          | 0.0             | 0.0          | 0.0     |
| Inconvenient hours, not open when care needed                | 0.0          | 0.0             | 0.0          | 0.0     |
| Did not know where to go at night or on weekend              | 0.0          | 0.0             | 0.0          | 0.0     |
| Could not get off work                                       | 0.0          | 0.0             | 0.0          | 0.0     |
| Language or communication problems                           | 0.0          | 0.0             | 0.0          | 0.0     |
| Bad past experience or heard about bad experiences           | 0.0          | 0.0             | 0.0          | 0.0     |
| Child was too afraid to go                                   | 42.8         | 0.0             | 0.0          | 13.9    |
| Not comfortable due to cultural, ethnic or religious reasons | 0.0          | 0.0             | 0.0          | 0.0     |
| Family not comfortable seeking care for specific problem     | 0.0          | 0.0             | 0.0          | 0.0     |
| Doctor / Nurse sent me to the ER                             | 0.0          | 0.0             | 0.0          | 0.0     |
| Other  | 0.0          | 0.0             | 26.8         | 16.2    |

**DX6A - In the last 12 months, was there any time when your child received dental care services in a WIC CLINIC? (n = 297)**

|     | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----|-----------|-----------------|-----------|---------|
| Yes | 29.1      | 17.8            | 1.9       | 8.1     |
| No  | 70.9      | 82.2            | 98.1      | 91.9    |

**DX6B** - In the last 12 months, was there any time when your child received dental care services in a HEAD START CENTER? [Age < 6] (n = 299)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 24.2      | 0.0          | 2.9       | 5.3     |
| No  | 75.8      | 100.0        | 97.1      | 94.7    |

**DX6C** - In the last 12 months, was there any time when your child received dental care services in a PRESCHOOL? [Age < 6] (n = 299)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 25.7      | 8.8          | 9.6       | 11.6    |
| No  | 74.3      | 91.2         | 90.4      | 88.4    |

**DX6D** - In the last 12 months, was there any time when your child received dental care services in a CHILD CARE SETTING? [Age < 6] (n = 300)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 11.6      | 2.0          | 3.7       | 4.4     |
| No  | 88.4      | 98.0         | 96.3      | 95.6    |

**DX6E** - In the last 12 months, was there any time when your child received dental care services in a SCHOOL? [Age 5+] (n = 91)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 13.7      | 0.0          | 4.7       | 4.6     |
| No  | 86.3      | 100.0        | 95.3      | 95.4    |

**DX7 - Is there one main place where you usually go for your child's dental care? (n = 548)**

|                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------|-----------|--------------|-----------|---------|
| Yes                  | 77.7      | 78.2         | 71.0      | 73.0    |
| No                   | 7.0       | 2.8          | 4.9       | 4.8     |
| Child has never been | 15.3      | 19.0         | 24.1      | 22.2    |

**DX8 - What kind of place do you usually go for your child's dental care? (n = 393)**

|                         | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------------------|-----------|--------------|-----------|---------|
| Dental office           | 71.1      | 85.3         | 96.6      | 91.3    |
| Clinic                  | 17.6      | 9.5          | 3.1       | 6.1     |
| Community health center | 9.0       | 3.0          | 0.0       | 1.7     |
| Somewhere else          | 2.2       | 2.2          | 0.3       | 0.9     |

**DX9 - When was your child's last check-up by a dentist? (n = 415)**

|                                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------------------------------|-----------|--------------|-----------|---------|
| Less than 12 months ago             | 85.4      | 77.6         | 75.1      | 76.8    |
| Between 1 and 2 years ago           | 2.4       | 1.2          | 3.0       | 2.6     |
| More than 2 years ago               | 0.0       | 0.0          | 0.0       | 0.0     |
| Child has never been to the dentist | 12.3      | 21.2         | 21.9      | 20.5    |

**DX10 - How often were you able to get dental care for your child as soon as you wanted? (n = 466)**

|             | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------|-----------|--------------|-----------|---------|
| Never       | 3.5       | 0.0          | 0.8       | 1.0     |
| Sometimes   | 21.1      | 12.2         | 2.4       | 6.3     |
| Usually     | 20.6      | 16.0         | 15.4      | 16.1    |
| Always      | 44.9      | 57.6         | 58.9      | 57.0    |
| Never tried | 1.0       | 11.6         | 12.4      | 10.9    |

**DX11** - How would you rate your child's overall dental health? (n = 535)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Excellent | 37.1      | 51.7         | 49.3      | 48.3    |
| Very good | 27.4      | 29.8         | 36.0      | 33.9    |
| Good      | 26.5      | 15.4         | 12.1      | 14.4    |
| Fair      | 9.0       | 1.5          | 2.5       | 3.1     |
| Poor      | 0.0       | 1.7          | 0.0       | 0.3     |

**SECTION 3D. BEHAVIORAL AND EMOTIONAL HEALTH CARE**

**BC1** - During the last 12 months, was there a time when you or a health care professional thought your child needed behavioral or emotional care? (n = 13)

|     | Age 0-1 | Age 2-3 | Subtotal (Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|--------------------|---------|---------|
| Yes |         |         |                    |         |         |
| No  |         |         |                    |         |         |

**BC2** - During the last 12 months, was there any time when your child needed care for behavioral or emotional problems but could not get it for any reason? (n = 19)

|     | Age 0-1 | Age 2-3 | Subtotal (Age 0-3) | Age 4-5 | Total % |
|-----|---------|---------|--------------------|---------|---------|
| Yes |         |         |                    |         |         |
| No  |         |         |                    |         |         |

## SECTION 5. EARLY CHILDHOOD

**EC1** - Do you have any concerns about your child's learning, development, or behavior?  
[Age < 6] (n = 659)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 5.5       | 3.8          | 4.2       | 4.3     |
| No  | 94.5      | 96.2         | 95.8      | 95.7    |

**EC2A** - Are you concerned about how your child talks and makes speech sounds? [Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 24.2      | 66.0         | 52.8      | 50.3    |
| No  | 75.8      | 34.0         | 47.2      | 49.7    |

**EC2B** - Are you concerned about how your child understands what you say? [Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 33.1      | 55.1         | 27.5      | 32.6    |
| No  | 66.9      | 44.9         | 72.5      | 67.4    |

**EC2C** - Are you concerned about how your child uses hands and fingers to do things?  
[Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 33.1      | 0.0          | 24.0      | 21.7    |
| No  | 66.9      | 100.0        | 76.0      | 78.3    |

**EC2D** - Are you concerned about how your child uses his/her arms and legs? [Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 33.1      | 0.0          | 21.2      | 19.8    |
| No  | 66.9      | 100.0        | 78.8      | 80.2    |

**EC2E** - Are you concerned about how your child behaves? [Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 100.0     | 80.3         | 49.5      | 62.2    |
| No  | 0.0       | 19.7         | 50.5      | 37.8    |

**EC2F** - Are you concerned about how your child gets along with others? [Age 4 months to 5 years] (n = 34)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 58.3      | 34.0         | 52.0      | 50.2    |
| No  | 41.7      | 66.0         | 48.0      | 49.8    |

**EC2G** - Are you concerned about how your child is learning to do things for him/herself? [Age 10 months to 5 years] (n = 33)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 45.3      | 55.1         | 56.0      | 54.1    |
| No  | 54.7      | 44.9         | 44.0      | 45.9    |

**EC2H** - Are you concerned about how your child is learning pre-school or school skills? [Age 18 months to 5 years] (n = 31)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 33.1      | 55.1         | 35.1      | 37.9    |
| No  | 66.9      | 44.9         | 64.9      | 62.1    |

**EC3** - During the last 12 months, did your child’s doctors or other health care providers ask you if you have concerns about your child learning, development, or behavior? (n = 652)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 45.9      | 57.5         | 49.4      | 50.4    |
| No  | 54.1      | 42.5         | 50.6      | 49.6    |

**EC4** - During the last 12 months, did your child’s doctors or other health care providers give you specific information to address your concerns about learning, development, or behavior? (n = 22)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 56.0      | 61.8         | 86.6      | 79.0    |
| No  | 44.0      | 38.2         | 13.4      | 21.0    |

**EC5** - During the last 12 months, did a doctor or other health care provider have you fill out a questionnaire about specific concerns or observations? [Age 10 months+] (n = 534)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 29.5      | 39.1         | 36.2      | 35.8    |
| No  | 70.5      | 60.9         | 63.8      | 64.2    |

**EC6** - Does your child have any developmental problems for which he/she has a written an intervention plan called IEP, or is enrolled in Early Access or Early Intervention? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 5.3       | 2.8          | 2.2       | 2.7     |
| No  | 94.7      | 97.2         | 97.8      | 97.3    |

**EC7** - How often, during the last week, did you or someone in your family read to your child?  
(n = 660)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| Almost every day | 55.4      | 60.8         | 68.1      | 65.3    |
| Most days        | 28.2      | 16.7         | 20.4      | 20.7    |
| Some days        | 12.0      | 19.7         | 9.8       | 11.8    |
| Not at all       | 4.4       | 2.7          | 1.8       | 2.3     |

**EC8A** - In the last week, did a family member tell your child a story? (n = 659)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 99.2      | 94.3         | 95.5      | 95.7    |
| No  | 0.8       | 5.7          | 4.5       | 4.3     |

**EC8B** - In the last week, did a family member work with your child on letters, words, or numbers? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 80.4      | 75.5         | 81.3      | 80.2    |
| No  | 19.6      | 24.5         | 18.7      | 19.8    |

**EC8C** - In the last week, did a family member sing your child songs or play your child music?  
(n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 98.0      | 96.9         | 97.4      | 97.4    |
| No  | 2.0       | 3.1          | 2.6       | 2.6     |

**EC8D** - In the last week, did a family member work on arts and crafts with your child? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 58.7      | 72.3         | 65.8      | 66.1    |
| No  | 41.3      | 27.7         | 34.2      | 33.9    |

**EC8E** - In the last week, did a family member play a game with your child? (n = 658)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 87.5      | 91.0         | 88.8      | 89.0    |
| No  | 12.5      | 9.0          | 11.2      | 11.0    |

## SECTION 6. CHILD CARE

**CC1** - About how many hours last week did your child spend in child care (e.g. child care center, home-based child care, preschool, pre-k, or Head Start program)? [Age 5 & under] (n = 659)

|       | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------|-----------|--------------|-----------|---------|
| 0     | 58.6      | 49.4         | 26.2      | 34.3    |
| 1-10  | 2.6       | 18.0         | 10.7      | 11.0    |
| 11-20 | 15.6      | 9.0          | 10.5      | 10.9    |
| 21-30 | 11.1      | 4.2          | 11.2      | 9.9     |
| 31-40 | 7.3       | 15.9         | 26.6      | 22.4    |
| 40+   | 4.8       | 3.5          | 14.7      | 11.5    |

**CC2** - How many different child care centers, home-based child care, preschool, pre-k, or Head Start programs does your child currently go to during a typical week? (n = 420)

|   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---|-----------|--------------|-----------|---------|
| 0 | 0.0       | 0.0          | 0.3       | 0.2     |
| 1 | 71.8      | 91.5         | 79.9      | 80.7    |
| 2 | 28.2      | 7.5          | 19.0      | 18.3    |
| 3 | 0.0       | 1.0          | 0.9       | 0.8     |

**CC3 - In the last week, what were the most hours your child spent at...? (n = 417)**

|  | <b>Mean (Range)</b> | <b>Percent with any hours in setting</b> |
|--|---------------------|--|
| Child care center                                  | 28.94 (1-50)        | 33.7                                     |
| Home based child care provider                     | 28.33 (1-55)        | 46.4                                     |
| Head start program                                 | 22.36 (4-40)        | 4.8                                      |
| Preschool, other than head start                   | 14.03 (3-40)        | 24.1                                     |
| Pre-kindergarten                                   | 21.23 (5-35)        | 5.3                                      |
| Friend, neighbor or someone unrelated to the child | 12.25 (2-45)        | 5.9                                      |
| Child's grandparent                                | 11.64 (1-48)        | 32.8                                     |
| Other relative                                     | 11.16 (1-40)        | 7.6                                      |

**CC4 - During the last 12 months, has your child been asked to leave a child care setting due to behavior such as biting, hitting or other disruptive behaviors? (n = 659)**

|     | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|-----|---------------------|---------------------|---------------------|----------------|
| Yes | 0.0                 | 0.0                 | 0.5                 | 0.3            |
| No  | 100.0               | 100.0               | 99.5                | 99.7           |

## SECTION 7. SCHOOL

SC1A - What grade in school is your child attending? [Age 4+] (n = 178)

|   | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|---|--------------|-----------------|--------------|---------|
| Nursery / preschool / pre-kindergarten /<br>head start / transitional kindergarten<br>(before K) / not old enough | 66.2         | 41.8            | 67.9         | 62.9    |
| Kindergarten  | 21.9         | 37.7            | 26.0         | 27.6    |
| Pre-first grade   | 0.0          | 0.0             | 1.4          | 0.9     |
| First-eighth grade  | 0.0          | 0.0             | 0.0          | 0.0     |
| Ninth-grade / freshman  | 0.0          | 0.0             | 0.0          | 0.0     |
| Tenth grade / sophomore   | 0.0          | 0.0             | 0.0          | 0.0     |
| Eleventh grade / junior   | 0.0          | 0.0             | 0.0          | 0.0     |
| Twelfth grade / senior  | 0.0          | 0.0             | 0.0          | 0.0     |
| Above twelfth grade   | 0.0          | 0.0             | 0.0          | 0.0     |
| Ungraded  | 0.0          | 2.7             | 2.7          | 2.4     |
| Special education   | 0.0          | 0.0             | 0.0          | 0.0     |
| Child is home-schooled  | 0.0          | 0.0             | 0.0          | 0.0     |
| Not attending   | 11.9         | 17.9            | 2.1          | 6.2     |
| First to eighth grade unspecified   | 0.0          | 0.0             | 0.0          | 0.0     |

SC2 - How far would you like to see your child go in school? [Age 4+] (n = 198)

|   | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|---|--------------|-----------------|--------------|---------|
| Leave high school before getting<br>diploma | 0.0          | 0.0             | 1.1          | 0.8     |
| Get a high school diploma                   | 2.3          | 0.0             | 0.0          | 0.3     |
| Graduate technical school                   | 0.0          | 0.0             | 0.0          | 0.0     |
| Get a 2-year college degree                 | 0.0          | 7.8             | 1.9          | 2.7     |
| Attend 4-year college                       | 38.9         | 8.1             | 6.7          | 10.9    |
| Get a 4-year college degree                 | 40.1         | 44.1            | 52.0         | 49.2    |
| Get more than 4-year college degree         | 13.3         | 37.4            | 34.8         | 32.6    |

## SECTION 8. SOCIAL DETERMINANTS OF HEALTH

**SD1** - During the last week, how often did all the family members who live in the household eat a meal together? (n = 659)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Everyday  | 71.5      | 58.8         | 43.6      | 49.7    |
| Most days | 22.6      | 33.3         | 42.5      | 38.4    |
| Some days | 5.9       | 7.9          | 13.3      | 11.5    |
| Never     | 0.0       | 0.0          | 0.6       | 0.4     |

**SD2** – In the last 12 months, about how often has your child attended a religious service or activity? (n = 660)

|                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------|-----------|--------------|-----------|---------|
| Never               | 23.8      | 23.4         | 13.2      | 16.3    |
| A few times a year  | 20.3      | 13.6         | 22.3      | 20.5    |
| A few times a month | 22.6      | 9.7          | 29.0      | 34.8    |
| Once a week or more | 33.3      | 53.3         | 35.5      | 38.4    |

**SD3** - How much of the time in the last month have you felt your child is much harder to care for than most children the same age? (n = 657)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 2.0       | 2.2          | 0.5       | 1.0     |
| Most of the time | 2.3       | 4.2          | 1.7       | 2.2     |
| Some of the time | 34.3      | 13.5         | 16.7      | 18.3    |
| None of the time | 61.3      | 80.1         | 81.2      | 78.6    |

**SD4** - How much of the time in the last month have you felt your child does things that really bother you a lot? (n = 659)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 0.0       | 0.0          | 0.7       | 0.5     |
| Most of the time | 0.0       | 0.0          | 0.6       | 0.4     |
| Some of the time | 32.1      | 42.0         | 39.5      | 39.1    |
| None of the time | 67.9      | 58.0         | 59.1      | 60.0    |

**SD5** - How much of the time in the last month have you felt you are giving up more of your life to meet your child's needs than you ever expected? (n = 657)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 10.7      | 2.4          | 1.3       | 2.7     |
| Most of the time | 2.3       | 1.5          | 2.7       | 2.4     |
| Some of the time | 7.3       | 17.4         | 18.3      | 16.8    |
| None of the time | 79.6      | 78.7         | 77.8      | 78.2    |

**SD6** - How much of the time in the last month have you felt angry with your child? (n = 660)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 0.0       | 0.0          | 0.0       | 0.0     |
| Most of the time | 2.3       | 0.0          | 0.4       | 0.6     |
| Some of the time | 46.3      | 43.8         | 40.1      | 41.5    |
| None of the time | 51.3      | 56.2         | 59.5      | 57.9    |

**SD7** - Is there someone that you can turn to for day-to-day emotional help with raising children? (Can include spouse) (n = 659)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 94.0      | 100.0        | 97.5      | 97.5    |
| No  | 6.0       | 0.0          | 2.5       | 2.5     |

**SD8** - People in this neighborhood help each other out. (n = 643)

|                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------|-----------|--------------|-----------|---------|
| Definitely agree    | 22.7      | 51.9         | 47.9      | 45.5    |
| Somewhat agree      | 49.5      | 30.5         | 40.4      | 39.8    |
| Somewhat disagree   | 12.9      | 11.7         | 5.8       | 7.7     |
| Definitely disagree | 15.0      | 6.0          | 5.9       | 7.1     |

**SD9** - We watch out for each other's children in this community. (n = 642)

|                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------|-----------|--------------|-----------|---------|
| Definitely agree    | 30.8      | 65.3         | 52.2      | 51.8    |
| Somewhat agree      | 39.1      | 24.1         | 39.7      | 36.9    |
| Somewhat disagree   | 15.4      | 7.2          | 4.6       | 6.4     |
| Definitely disagree | 14.7      | 3.4          | 3.5       | 4.9     |

**SD10** - There are people I can count on in this community. (n = 652)

|                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------|-----------|--------------|-----------|---------|
| Definitely agree    | 40.6      | 66.8         | 64.6      | 62.0    |
| Somewhat agree      | 41.5      | 25.6         | 29.4      | 30.2    |
| Somewhat disagree   | 7.0       | 6.0          | 3.0       | 4.0     |
| Definitely disagree | 10.8      | 1.6          | 3.1       | 3.8     |

**SD11** - If my child were outside playing and got hurt or scared, there are adults nearby who I trust to help my child. (n = 643)

|                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------|-----------|--------------|-----------|---------|
| Definitely agree    | 52.5      | 68.7         | 68.1      | 66.3    |
| Somewhat agree      | 26.3      | 21.5         | 26.1      | 25.4    |
| Somewhat disagree   | 6.2       | 5.2          | 4.1       | 4.5     |
| Definitely disagree | 15.0      | 4.6          | 1.7       | 3.8     |

**SD12** - How often do you feel your child is safe in your community or neighborhood?  
(n = 659)

|           | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----------|-----------|-----------------|-----------|---------|
| Never     | 9.3       | 0.0             | .5        | 1.5     |
| Sometimes | 12.3      | 11.8            | 4.0       | 6.4     |
| Usually   | 35.3      | 40.9            | 41.4      | 40.6    |
| Always    | 43.1      | 47.3            | 54.1      | 51.5    |

**SD14** - Was your child ever breastfed or fed breast milk? (n = 656)

|     | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----|-----------|-----------------|-----------|---------|
| Yes | 76.2      | 79.8            | 82.0      | 80.9    |
| No  | 23.8      | 20.2            | 18.0      | 19.1    |

**SD15** - How old was your child when he/she completely stopped breastfeeding or being fed breast milk? (n = 515)

|                        | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|------------------------|--------------|-----------------|--------------|---------|
| Less than one week     | 1.0          | 1.2             | 1.3          | 1.3     |
| 1 week to 6 weeks      | 17.8         | 17.4            | 11.3         | 13.2    |
| 7 weeks to 3 months    | 26.7         | 14.8            | 16.6         | 17.5    |
| 4 months to 6 months   | 13.7         | 11.6            | 20.2         | 17.9    |
| 7 months to 9 months   | 17.0         | 4.1             | 12.4         | 11.5    |
| 10 months to 12 months | 8.5          | 16.0            | 11.9         | 12.2    |
| More than 12 months    | 9.3          | 26.0            | 15.1         | 16.4    |
| Still breastfeeding    | 6.0          | 8.8             | 11.0         | 10.0    |

**SD16 - How old was your child when he/she was first fed formula? (n = 517)**

|                                  | <b>&lt;134%<br/>FPL</b> | <b>134-200%<br/>FPL</b> | <b>&gt;200%<br/>FPL</b> | <b>Total %</b> |
|----------------------------------|-------------------------|-------------------------|-------------------------|----------------|
| At birth                         | 23.4                    | 8.4                     | 11.2                    | 12.2           |
| Less than 1 week                 | 2.8                     | 12.4                    | 7.1                     | 7.5            |
| 1 week to 6 weeks                | 21.3                    | 11.6                    | 12.8                    | 13.6           |
| 7 weeks to 3 months              | 13.6                    | 13.1                    | 17.7                    | 16.4           |
| 4 months to 6 months             | 12.6                    | 12.2                    | 16.5                    | 15.3           |
| 7 months to 9 months             | 9.7                     | 2.4                     | 8.5                     | 7.6            |
| 10 months to 12 months           | 1.8                     | 3.9                     | 3.3                     | 3.3            |
| More than 12 months              | 1.0                     | 0.0                     | 0.5                     | 0.4            |
| Child has never been fed formula | 13.9                    | 36.0                    | 22.6                    | 23.9           |

**SECTION 9. NUTRITION**

**NP1 - The food we bought just did not last, and we did not have money to get more? (n = 659)**

|                | <b>&lt;134% FPL</b> | <b>134-200%<br/>FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|----------------|---------------------|-------------------------|---------------------|----------------|
| Often true     | 3.9                 | 5.0                     | 0.7                 | 1.8            |
| Sometimes true | 33.2                | 14.8                    | 4.5                 | 9.8            |
| Never true     | 63.0                | 80.3                    | 94.8                | 88.4           |

**NP2 - In the last 12 months, did you or other adults in your household ever cut the size of your meals or skip meals because there was not enough money for food? (n = 660)**

|     | <b>&lt;134% FPL</b> | <b>134-200%<br/>FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|-----|---------------------|-------------------------|---------------------|----------------|
| Yes | 27.7                | 17.1                    | 3.5                 | 8.9            |
| No  | 72.3                | 82.9                    | 96.5                | 91.1           |

**NP3** - In the last 12 months, were you ever hungry but did not eat because there was not enough money for food? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 23.9      | 12.0         | 1.4       | 6.0     |
| No  | 76.1      | 88.0         | 98.6      | 94.0    |

**NP4** - In an average week, how often does your child eat breakfast? [Age 6 months +]  
(n = 601)

|           | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------|-----------|--------------|-----------|---------|
| Never     | 0.0       | 0.0          | 0.1       | 0.1     |
| Sometimes | 1.5       | 0.0          | 3.5       | 2.7     |
| Usually   | 11.3      | 8.3          | 7.4       | 8.0     |
| Always    | 87.2      | 91.7         | 89.1      | 89.3    |

**NP5** - On an average day, not counting fruit juice, how many servings of fruit does your child eat? [Age 6 months +] (n = 588)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| 0   | 0.8       | 1.9          | 1.9       | 1.8     |
| 1   | 15.4      | 15.5         | 16.2      | 16.0    |
| 2-3 | 77.6      | 72.2         | 67.2      | 69.3    |
| 4-5 | 5.4       | 7.7          | 13.6      | 11.6    |
| 6+  | 0.8       | 2.7          | 1.1       | 1.3     |

**NP6** - On an average day, not counting fruit juice, how many servings of fruit do you eat?  
(n = 653)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| 0   | 10.6      | 11.8         | 9.5       | 10.0    |
| 1   | 39.9      | 24.9         | 32.5      | 32.1    |
| 2-3 | 44.4      | 55.9         | 49.4      | 49.9    |
| 4-5 | 2.8       | 7.3          | 7.4       | 6.9     |
| 6+  | 2.3       | 0.0          | 1.2       | 1.1     |

**NP7** - On an average day, how many servings of vegetables does your child eat?  
[Age 6 months +] (n = 593)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| 0   | 3.1       | 4.6          | 3.2       | 3.4     |
| 1   | 16.2      | 32.2         | 19.5      | 21.2    |
| 2-3 | 73.3      | 50.1         | 68.9      | 66.4    |
| 4-5 | 7.4       | 10.4         | 7.9       | 8.3     |
| 6+  | 0.0       | 2.7          | 0.4       | 0.8     |

**NP8** - On an average day, how many servings of vegetables do you eat? (n = 655)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| 0   | 2.0       | 3.5          | 2.5       | 2.6     |
| 1   | 25.2      | 23.3         | 22.7      | 23.1    |
| 2-3 | 66.8      | 65.3         | 59.9      | 61.7    |
| 4-5 | 5.9       | 6.5          | 13.3      | 11.2    |
| 6+  | 0.0       | 1.3          | 1.5       | 1.3     |

**NP9** - On an average day, how many cans of soda, pop, or soft drinks does your child drink in a single day? [Age 6 months +] (n = 601)

|    | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----|-----------|--------------|-----------|---------|
| 0  | 97.4      | 97.8         | 96.5      | 96.8    |
| 1  | 1.9       | 2.2          | 3.4       | 3.0     |
| 2  | 0.8       | 0.0          | 0.0       | 0.1     |
| 3  | 0.0       | 0.0          | 0.0       | 0.0     |
| 4  | 0.0       | 0.0          | 0.1       | 0.1     |
| 5+ | 0.0       | 0.0          | 0.0       | 0.0     |

**NP10** - How often does your child drink any type of milk (including milk added to cereal)? (n = 659)

|   | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---|-----------|--------------|-----------|---------|
| Rarely (less than once a week)                            | 0.0       | 0.0          | 0.1       | 0.1     |
| Sometimes (once a week or more, but less than once a day) | 0.7       | 0.0          | 1.1       | 0.8     |
| Often (at least once a day)                               | 15.9      | 11.7         | 11.3      | 11.9    |
| More than once a day                                      | 80.5      | 82.3         | 79.2      | 79.9    |
| Never   | 3.0       | 6.0          | 8.3       | 7.2     |

**NP11** - What type of milk was it? (n = 611)

|                              | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------------------|-----------|--------------|-----------|---------|
| Whole or regular milk        | 23.7      | 18.8         | 18.0      | 18.9    |
| 2% fat or reduced-fat milk   | 16.9      | 24.6         | 28.4      | 26.2    |
| 1% low-fat milk              | 31.8      | 24.7         | 17.0      | 20.3    |
| Fat-free skim or nonfat milk | 10.4      | 15.1         | 27.2      | 22.8    |
| Soy milk                     | 0.0       | 3.6          | 1.7       | 1.8     |
| Breast milk                  | 4.7       | 6.4          | 4.6       | 5.0     |
| Goat milk                    | 0.0       | 0.0          | 0.0       | 0.0     |
| Another type of milk         | 12.5      | 6.8          | 3.0       | 4.9     |

**NP12 - How tall is your child?**

| <b>Age</b> | <b>Mean height (range)<br/>[inches]</b> |
|------------|---|
| 0          | 25.86 (18-51)                           |
| 1          | 31.62 (18-47)                           |
| 2          | 34.58 (24-45)                           |
| 3          | 37.90 (29-49)                           |
| 4          | 41.84 (36-59)                           |
| 5          | 44.11 (36-56)                           |
| 6          | 46.86 (36-54)                           |
| 7          | 48.27 (36-59)                           |
| 8          | 51.15 (36-60)                           |
| 9          | 53.41 (44-64)                           |
| 10         | 56.18 (45-66)                           |
| 11         | 59.24 (49-67)                           |
| 12         | 61.23 (50-71)                           |
| 13         | 63.58 (53-74)                           |
| 14         | 65.79 (50-74)                           |
| 15         | 67.35 (54-76)                           |
| 16         | 68.24 (57-80)                           |
| 17         | 68.08 (59-77)                           |

**NP13** - How much does your child weigh?

| <b>Age</b> | <b>Mean weight (range)<br/>[pounds]</b> |
|------------|---|
| 0          | 16.52 (4-30)                            |
| 1          | 24.70 (17-35)                           |
| 2          | 30.42 (21-48)                           |
| 3          | 34.67 (25-50)                           |
| 4          | 39.99 (26-65)                           |
| 5          | 43.75 (29-65)                           |
| 6          | 50.55 (35-90)                           |
| 7          | 56.88 (38-109)                          |
| 8          | 68.85 (27-130)                          |
| 9          | 74.30 (42-125)                          |
| 10         | 83.44 (52-158)                          |
| 11         | 96.32 (53-200)                          |
| 12         | 109.96 (52-223)                         |
| 13         | 122.06 (74-190)                         |
| 14         | 129.71 (60-280)                         |
| 15         | 152.86 (85-340)                         |
| 16         | 146.43 (91-240)                         |
| 17         | 154.90 (17-290)                         |

**NP14** - Compared to other children the same age and height, do you think your child weighs the right amount, too much or too little? (n = 658)

|                  | <b>&lt;134% FPL</b> | <b>134-200%<br/>FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|------------------|---------------------|-------------------------|---------------------|----------------|
| The right amount | 83.1                | 85.3                    | 89.3                | 87.8           |
| Too much         | 9.8                 | 1.6                     | 1.3                 | 2.4            |
| Too little       | 7.2                 | 13.1                    | 9.4                 | 9.8            |

## SECTION 10. CHILD HEALTH - PHYSICAL ACTIVITY

**NP18** - During the past 7 days, on how many days was your child physically active for a total of at least 60 minutes per day? [Age 2+] (n = 455)

|        | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--------|-----------|--------------|-----------|---------|
| 0 days | 0.0       | 0.0          | 0.0       | 0.0     |
| 1 day  | 0.0       | 0.0          | 0.4       | 0.3     |
| 2 days | 1.1       | 0.6          | 1.2       | 1.1     |
| 3 days | 3.2       | 1.5          | 3.3       | 3.0     |
| 4 days | 1.0       | 7.0          | 6.0       | 5.6     |
| 5 days | 20.3      | 3.0          | 15.8      | 14.2    |
| 6 days | 0.0       | 4.6          | 5.3       | 4.5     |
| 7 days | 74.3      | 83.3         | 68.0      | 71.4    |

**NP19** - On an average day, about how many hours does your child usually watch TV, videos or movies? (n = 653)

|                 | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----------------|-----------|--------------|-----------|---------|
| None            | 25.0      | 27.4         | 25.6      | 25.9    |
| 1 hour          | 27.1      | 33.8         | 39.0      | 36.6    |
| 2 hours         | 36.8      | 29.9         | 24.4      | 26.9    |
| 3 hours         | 8.4       | 4.6          | 7.1       | 6.9     |
| 4 hours         | 2.1       | 1.4          | 1.5       | 1.6     |
| 5 or more hours | 0.6       | 1.7          | 1.6       | 1.5     |
| Don't own a TV  | 0.0       | 1.2          | 0.7       | 0.7     |

**NP20** - On an average day, about how many hours does your child use a computer or play video games for school, work or play? [Age 1+] (n = 543)

|                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------|-----------|--------------|-----------|---------|
| None                 | 70.7      | 80.1         | 78.8      | 78.1    |
| 1 hour               | 21.8      | 19.4         | 17.4      | 18.2    |
| 2 hours              | 7.5       | 0.5          | 3.3       | 3.3     |
| 3 hours              | 0.0       | 0.0          | 0.0       | 0.0     |
| 4 hours              | 0.0       | 0.0          | 0.2       | 0.2     |
| 5 or more hours      | 0.0       | 0.0          | 0.0       | 0.0     |
| Don't own a TV or PC | 0.0       | 0.0          | 0.3       | 0.2     |

## SECTION 11. PARENT HEALTH STATUS AND FAMILY

**PH1** - During the last 4 weeks, how often have you been a very nervous person? (n = 659)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 2.6       | 1.4          | 0.0       | 0.6     |
| Most of the time | 9.3       | 6.1          | 2.1       | 3.7     |
| Some of the time | 38.4      | 43.6         | 36.1      | 37.7    |
| None of the time | 49.7      | 48.9         | 61.9      | 58.1    |

**PH2** - During the last 4 weeks, how often have you felt so down in the dumps that nothing could cheer you up? (n = 660)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 2.7       | 0.0          | 0.0       | 0.3     |
| Most of the time | 0.6       | 0.0          | 1.0       | 0.7     |
| Some of the time | 38.1      | 19.9         | 12.8      | 17.1    |
| None of the time | 58.6      | 80.1         | 86.3      | 81.8    |

**PH3** - During the last 4 weeks, how often have you felt calm and peaceful? (n = 659)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 19.6      | 7.4          | 4.8       | 7.1     |
| Most of the time | 31.0      | 51.0         | 63.4      | 57.2    |
| Some of the time | 42.0      | 38.4         | 29.4      | 32.6    |
| None of the time | 7.5       | 3.1          | 2.4       | 3.2     |

**PH4** - During the last 4 weeks, how often have you felt downhearted and blue? (n = 660)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 3.8       | 0.0          | 0.0       | 0.5     |
| Most of the time | 6.6       | 0.0          | 1.9       | 2.1     |
| Some of the time | 47.1      | 40.1         | 35.9      | 38.1    |
| None of the time | 42.5      | 59.9         | 62.2      | 59.3    |

**PH5** - During the last 4 weeks, how often have you been a happy person? (n = 658)

|                  | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|------------------|-----------|--------------|-----------|---------|
| All of the time  | 14.5      | 9.1          | 10.5      | 10.8    |
| Most of the time | 43.8      | 74.5         | 76.6      | 72.2    |
| Some of the time | 38.4      | 14.9         | 12.5      | 16.1    |
| None of the time | 3.2       | 1.4          | 0.3       | 0.9     |

**PH6** - Are you currently...? [Marital Status] (n =659)

|                                 | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|---------------------------------|-----------|--------------|-----------|---------|
| Married                         | 52.1      | 84.6         | 92.9      | 86.4    |
| Divorced                        | 7.9       | 5.5          | 3.2       | 4.2     |
| Widowed                         | 2.4       | .0           | .1        | .4      |
| Separated                       | 11.1      | 2.9          | .8        | 2.4     |
| Never married                   | 26.6      | 7.1          | 3.0       | 6.6     |
| In a marriage-like relationship |           |              |           |         |

**PH7** - How would you rate the overall quality of your relationship with your spouse/partner?  
 [Asked if married or living with partner] (n = 589)

|           | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----------|-----------|-----------------|-----------|---------|
| Excellent | 35.8      | 35.8            | 37.1      | 36.8    |
| Very good | 40.8      | 45.9            | 47.8      | 46.9    |
| Good      | 18.0      | 17.7            | 12.3      | 13.7    |
| Fair      | 2.2       | 0.5             | 2.1       | 1.8     |
| Poor      | 3.2       | 0.0             | 0.7       | 0.8     |

## SECTION 12. SMOKING, DRUGS, ALCOHOL, AND GAMBLING

**SM1** - In the last 12 months, how much of a problem for your household, if any, has been caused by a household member's use of cigarettes? (n = 660)

|                    | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|--------------------|-----------|-----------------|-----------|---------|
| A big problem      | 4.7       | 1.5             | 0.1       | 0.9     |
| A moderate problem | 0.7       | 3.3             | 0.8       | 1.2     |
| A small problem    | 10.4      | 6.5             | 5.1       | 6.0     |
| Not a problem      | 84.2      | 88.7            | 94.0      | 91.9    |

**SM2** - In the last 12 months, how much of a problem for your household, if any, has been caused by a household members use of either prescription or illegal drugs? (n = 660)

|                    | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|--------------------|-----------|-----------------|-----------|---------|
| A big problem      | 0.6       | 0.0             | 0.0       | 0.1     |
| A moderate problem | 0.0       | 0.0             | 0.1       | 0.1     |
| A small problem    | 0.7       | 0.0             | 0.2       | 0.2     |
| Not a problem      | 98.7      | 100.0           | 99.7      | 99.6    |

**SM3** - Was the drug problem related to prescription drugs, illegal drugs or both? (n = 4)

|                                     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-------------------------------------|-----------|--------------|-----------|---------|
| Prescription drugs                  | 100.0     | 0.0          | 64.6      | 73.9    |
| Illegal drugs                       | 0.0       | 0.0          | 35.4      | 26.1    |
| Both prescription and illegal drugs | 0.0       | 0.0          | 0.0       | 0.0     |

**SM4** - In the last 12 months, how much of a problem for your household, if any, has been caused by a household members use of alcohol? (n = 660)

|                    | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--------------------|-----------|--------------|-----------|---------|
| A big problem      | 2.3       | 0.0          | 0.3       | 0.5     |
| A moderate problem | 0.7       | 0.0          | 1.2       | .9      |
| A small problem    | 1.3       | 4.1          | 4.4       | 4.0     |
| Not a problem      | 95.7      | 95.9         | 94.1      | 94.6    |

**SM5** - In the last 12 months, how much of a problem for your household, if any, has been caused by gambling in your household? (n = 659)

|                    | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|--------------------|-----------|--------------|-----------|---------|
| A big problem      | 0.0       | 0.0          | 0.0       | 0.0     |
| A moderate problem | 0.0       | 0.0          | 0.0       | 0.0     |
| A small problem    | 0.6       | 0.0          | 1.0       | 0.8     |
| Not a problem      | 99.4      | 100.0        | 99.0      | 99.2    |

## SECTION 13. DEMOGRAPHICS

**DM1** - Is your child of Spanish or Hispanic origin? (n = 660)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 16.9      | 7.3          | 3.5       | 5.8     |
| No  | 83.1      | 92.7         | 96.5      | 94.2    |

**DM2 - What is your child's race? (n = 660)**

|   | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|---|--------------|-----------------|--------------|---------|
| African-American                                      | 18.7         | 7.6             | 1.6          | 4.8     |
| White   | 80.8         | 96.4            | 96.7         | 94.7    |
| American-Indian/Native<br>American/Aleutian or Eskimo | 0.0          | 0.0             | 0.7          | 0.5     |
| Asian/Pacific Islander                                | 3.4          | .0              | 1.8          | 1.7     |
| Other   | 11.6         | 3.2             | 3.2          | 4.2     |
| Don't know  | 0.0          | 0.0             | 0.0          | 0.0     |
| Prefer not to answer                                  | 0.0          | 0.0             | 0.0          | 0.0     |

**DM3 - Are you of Spanish or Hispanic origin? (n =660)**

|     | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|-----|-----------|-----------------|-----------|---------|
| Yes | 13.1      | 4.6             | 3.1       | 4.6     |
| No  | 86.9      | 95.4            | 96.9      | 95.4    |

**DM4 - What is your race? (n = 660)**

|   | <134%<br>FPL | 134-200%<br>FPL | >200%<br>FPL | Total % |
|---|--------------|-----------------|--------------|---------|
| African-American                                      | 12.3         | 0.0             | 0.5          | 1.9     |
| White   | 79.2         | 98.1            | 96.8         | 94.9    |
| American-Indian/Native<br>American/Aleutian or Eskimo | 0.0          | 0.0             | 0.1          | 0.1     |
| Asian/Pacific Islander                                | 0.0          | 0.9             | 1.3          | 1.1     |
| Other   | 10.9         | 1.3             | 1.9          | 2.9     |
| Prefer not to answer                                  | 0.0          | 0.5             | 0.0          | 0.1     |

**DM5 - Are you male or female? (n = 660)**

|        | <134% FPL | 134-200%<br>FPL | >200% FPL | Total % |
|--------|-----------|-----------------|-----------|---------|
| Male   | 3.0       | 8.9             | 17.8      | 14.4    |
| Female | 97.0      | 91.1            | 82.2      | 85.6    |

**DM6 - What is your age? (n = 658)**

|             | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|-------------|---------------------|---------------------|---------------------|----------------|
| 18-24       | 14.6                | 10.2                | 2.3                 | 5.2            |
| 25-44       | 74.8                | 84.2                | 92.9                | 89.3           |
| 45-64       | 8.6                 | 5.0                 | 4.4                 | 5.1            |
| 65 or older | 1.9                 | 0.6                 | 0.0                 | 0.3            |

**DM7 - What is the highest grade or level of school that you have completed? (n = 659)**

|  | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|--|---------------------|---------------------|---------------------|----------------|
| 8 <sup>th</sup> grade or less          | 3.4                 | 0.8                 | 0.1                 | 0.6            |
| Some high school, but did not graduate | 3.7                 | 4.3                 | 0.4                 | 1.4            |
| High school graduate or GED            | 36.5                | 17.3                | 5.9                 | 11.6           |
| Some college or 2-year degree          | 45.8                | 44.2                | 29.7                | 34.2           |
| 4-year college graduate                | 10.6                | 27.7                | 39.8                | 34.1           |
| More than 4-year college degree        | 0.0                 | 5.7                 | 24.2                | 18.0           |

**DM8 - Including yourself, how many adults (age 18 and over) live in your household? (n = 660)**

|           | <b>&lt;134% FPL</b> | <b>134-200% FPL</b> | <b>&gt;200% FPL</b> | <b>Total %</b> |
|-----------|---------------------|---------------------|---------------------|----------------|
| 1         | 8.8                 | 8.3                 | 4.8                 | 5.9            |
| 2         | 65.8                | 82.3                | 90.4                | 86.0           |
| 3         | 13.9                | 7.4                 | 3.3                 | 5.3            |
| 4         | 5.2                 | 0.5                 | 1.3                 | 1.6            |
| 5         | 6.3                 | 1.5                 | 0.0                 | 1.0            |
| 6 or more | 0.0                 | 0.0                 | 0.1                 | 0.1            |


**DM9** - Is your spouse/partner your child's biological or adoptive parent? [Asked if married or living with partner] (n = 424)

|     | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|-----|-----------|--------------|-----------|---------|
| Yes | 88.3      | 100.0        | 98.6      | 98.0    |
| No  | 11.7      | 0.0          | 1.4       | 2.0     |

**DM10** - What was the total combined income over the past year for all persons in your household? (n = 580)

|                      | <134% FPL | 134-200% FPL | >200% FPL | Total % |
|----------------------|-----------|--------------|-----------|---------|
| \$0 to \$5,000       | 9.0       | 0.0          | 0.0       | 1.1     |
| \$5,001 to \$10,000  | 5.7       | 0.0          | 0.0       | 0.7     |
| \$10,001 to \$15,000 | 13.7      | 0.0          | 0.0       | 1.7     |
| \$15,001 to \$20,000 | 25.3      | 0.4          | 0.0       | 3.2     |
| \$20,001 to \$25,000 | 27.9      | 3.7          | 0.0       | 4.1     |
| \$25,001 to \$30,000 | 9.1       | 13.7         | 0.4       | 3.8     |
| \$30,001 to \$35,000 | 5.7       | 18.0         | 0.5       | 4.1     |
| \$35,001 to \$40,000 | 3.6       | 24.0         | 1.6       | 5.8     |
| \$40,001 to \$45,000 | 0.0       | 40.2         | 3.3       | 4.1     |
| \$45,001 to \$50,000 | 0.0       | 16.7         | 5.6       | 6.8     |
| \$50,001 to \$55,000 | 0.0       | 6.2          | 7.0       | 6.0     |
| \$55,001 to \$60,000 | 0.0       | 0.0          | 7.2       | 5.0     |
| \$60,001 to \$65,000 | 0.0       | 0.0          | 7.3       | 5.1     |
| \$65,001 to \$70,000 | 0.0       | 0.0          | 7.4       | 5.2     |
| \$70,001 to \$75,000 | 0.0       | 7.1          | 9.9       | 8.2     |
| \$75,001 to \$80,000 | 0.0       | 0.0          | 6.6       | 4.6     |
| More than \$80,000   | 0.0       | 0.0          | 43.4      | 30.5    |

**Base Criteria**



**Family Centered**

